



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

## US Office

### Everest Biotech c/o Abcore

405 Maple Street, Suite A106  
Ramona,  
CA 92065  
USA

Inquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[usasales@everestbiotech.com](mailto:usasales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB07174 - Goat Anti-AIF1 / IBA1 (isoform 3) Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** AIF1, IBA1, allograft inflammatory factor 1, DASS-82G15.2, AIF-1, IRT-1, Em:AF129756.17, interferon gamma responsive transcript, ionized calcium-binding adapter molecule

**Official Symbol:** AIF1

**Accession Number(s):** NP\_001614.3

**Human GeneID(s):** [199](#)

**Non-Human GeneID(s):** 11629 (mouse)

**Important Comments:** This antibody is expected to recognise isoform 3 (NP\_001614.3) only.

### Immunogen

Peptide with sequence C-NKQFLDDPKYSSDED, from the internal region of the protein sequence according to NP\_001614.3.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:8000.

**IHC:** Paraffin embedded Human Lung and Brain (Cortex). Recommended concentration: 5-6µg/ml.

**Immunofluorescence:** Strong expression of the protein seen in the cytoplasm and plasma membrane of U937, Caco-2 and U251 cells. Recommended concentration: 10µg/ml.

**Flow Cytometry:** Flow cytometric analysis of K562 cells. Recommended concentration: 10ug/ml.

### Species Reactivity

**Tested:** Human

**Expected from sequence similarity:** Human, Mouse, Dog

### Specific Reference

**This antibody (previous batch) has been successfully used in IHC on Rat:**

Joshua P. Thaler, Chun-Xia Yi, Ellen A. Schur, Stephan J. Guyenet, Bang H.

Hwang, Marcelo O. Dietrich, Xiaolin Zhao, David A. Sarruf, Vitaly Izgur, Kenneth R.

Maravilla, Hong T. Nguyen, Jonathan D. Fischer, Miles E. Matsen, Brent E.


Wisse, Gregory J. Morton, Tamas L. Horvath, Denis G. Baskin, Matthias H.

Tschöp, and Michael W. Schwartz


Obesity is associated with hypothalamic injury in rodents and humans.

J Clin Invest. 2012 Jan 3; 122(1): 153-162.


PMID: 22201683




EB07174 Immunofluorescence analysis of paraformaldehyde fixed U937 cells immobilized on Shi-fix™ coverslip, permeabilized with 0.15% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml), showing plasma membrane and cytoplasmic staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml).




EB07174 Immunofluorescence analysis of paraformaldehyde fixed CaCo-2 cells immobilized on Shi-fix™ coverslip, permeabilized with 0.15% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml), showing plasma membrane and cytoplasmic staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml).




EB07174 Immunofluorescence analysis of paraformaldehyde fixed U251 cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml), showing membrane and cytoplasmic staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10ug/ml) followed by Alexa Fluor 488 secondary antibody (2ug/ml).




EB07174 Flow cytometric analysis of paraformaldehyde fixed K562 cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (1ug/ml) .IgG control: Unimmunized goat IgG (black line) followed by Alexa Fluor 488 secondary antibody.




EB07174 (6µg/ml) staining of paraffin embedded Human Lung. Heat induced antigen retrieval with citrate buffer Ph 6, HRP-staining.



EB07174 Negative Control showing staining of paraffin embedded Human Lung, with no primary antibody.



EB07174 (5µg/ml) staining of paraffin embedded Human Cortex. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



EB07174 Negative Control showing staining of paraffin embedded Human Cortex, with no primary antibody.