



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB07267 - Goat Anti-AIRE Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: AIRE, autoimmune regulator (autoimmune polyendocrinopathy candidiasis ectodermal dystrophy), AIRE1, APECED, APS1, APSI, PGA1, autoimmune regulator (APECED protein), autoimmune regulator (automimmune polyendocrinopathy candidiasis ectodermal dystrophy), autoimmune regulator AIRE

Official Symbol: AIRE

Accession Number(s): NP_000374.1

Human GeneID(s): [326](#)

Immunogen

Peptide with sequence C-KDVDLSQPRKGRKP, from the internal region of the protein sequence according to NP_000374.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Appr. 60kDa in transfected HEK293 lysates (calculated MW of 57.7kDa according to NP_000374.1). Recommended concentration: 0.5-1.0 µg/ml.

IHC: In paraffin embedded Human Thymus shows nuclear staining in select thymocytes. This antibody has been successfully used in IHC on Human: Ströbel P et al. (2014) PMID: 24236644. This antibody has been successfully used in IHC on Pig: Suzuki S et al. (2014) PMID: 24770647.

Species Reactivity

Tested: Human, Pig

Expected from sequence similarity: Human, Rat, Dog, Cow

Specific References

This antibody has been successfully used in IHC on Pig:

Suzuki S, Suzuki M, Nakai M, Sembon S, Fuchimoto D, Onishi A.

Transcriptional and histological analyses of the thymic developmental process in the fetal pig.

Exp Anim. 2014;63(2):215-25.

PMID: 24770647


This antibody has been successfully used in IHC on Human:

Ströbel P, Hartmann E, Rosenwald A, Kalla J, Ott G, Friedel G, Schalke B, Kasahara M, Tomaru U, Marx A.


Corticomedullary differentiation and maturational arrest in thymomas.

Histopathology. 2014 Mar;64(4):557-66.

PMID: 24236644



EB07267 staining (0.05µg/ml) of HEK293 cell lysates. Untransfected (Lane 3) and transfected with Human AIRE (lane 4). Data kindly provided by Prof. Pärt Peterson, University of Tartu, Estonia.



EB07267 (2.5µg/ml) staining of paraffin embedded Human Thymus. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.