



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB10262 - Goat Anti-MYO5A Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: dilute, GS1, MYH12, MYO5, myosin V, myosin VA, myosin VA (heavy chain 12, myoxin), myosin, heavy polypeptide kinase, myoxin, MYR12, MYO5A

Official Symbol: MYO5A

Accession Number(s): NP_000250.3; NP_001135967.1

Human GeneID(s): [4644](#)

Non-Human GeneID(s): 17918 (mouse), 25017 (rat)

Important Comments: This antibody is expected to recognize both reported isoforms (NP_000250.3; NP_001135967.1).

Immunogen

Peptide with sequence C-ETKQLELDLN, from the internal region of the protein sequence according to NP_000250.3; NP_001135967.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:8000.

Western blot: Approx 200kDa band observed in lysates of cell line Jurkat (calculated MW of 215kDa according to NP_000250.3). Recommended concentration: 1-3µg/ml.

Immunofluorescence: Transverse sections of Mouse Skeletal Muscle shows staining of the fibre membrane and neuromuscular junction. The observed pattern corresponds to earlier findings in literature with different antibodies (Röder et al, Proc Natl Acad Sci U S A. 2010 Feb 2;107(5):2031-6; PMID: 20133847). Recommended concentration: 1-3µg/ml.


Species Reactivity

Tested: Human, Mouse

Expected from sequence similarity: Human, Mouse, Rat, Cow



EB10262 (1µg/ml) staining of Mouse Skeletal Muscle (first panel, and in green in third panel). Alpha-bungaratoxin staining in middle panel and in red in third panel. Detected by Fluorescence. Data kindly provided by Dr. Rüdiger Rudolf, Karlsruhe, Germany



EB10262 (1µg/ml) staining of Jurkat lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.