



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB10535 - Goat Anti-UGT8 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: UGT8, UDP glycosyltransferase 8, CGT, UGT4, 2-hydroxyacylsphingosine 1-beta-galactosyltransferase, UDP-galactose ceramide galactosyltransferase, UDP-galactose-ceramide galactosyltransferase, ceramide UDP-galactosyltransferase, cerebroside synthase

Official Symbol: UGT8

Accession Number(s): NP_003351.2

Human GeneID(s): [7368](#)

Non-Human GeneID(s): 50555 (rat)

Important Comments: Reported variants represent identical protein: NP_001121646.1, NP_003351.2.

Immunogen

Peptide with sequence C-NGKYKRNGHIK, from the internal region of the protein sequence according to NP_003351.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested


Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: In transfected MCF7 transiently expressing Human UGT8 a band of approx. 65kDa is observed. This band is not observed in the non-transfected MCF7. The calculated molecular size is 61.5kDa according to NP_003351.2. Recommended concentration, 1-3µg/ml. Preliminary experiments gave an approx 50kDa band in Human Brain lysates and 48kDa in Rat Brain lysates after 1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 61.5kDa according to NP_003351.2. The observed band was successfully blocked by incubation with the immunizing peptide. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Rat, Dog, Cow



MCF7 overexpressing Human UGT8 and probed with EB10535 (mock transfection in first lane). Primary incubation (1ug/ml) was overnight at 4C. Data provided by Tomasz Owczarek, Wroclaw University, Poland. Detected by chemiluminescence.