



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB10898 - Goat Anti-MKRN1 (aa105-118) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: MKRN1, makorin ring finger protein 1, FLJ21334, RNF61, E3 ubiquitin-protein ligase makorin-1, OTTHUMP00000212121, OTTHUMP00000212124, RING finger protein 61

Official Symbol: MKRN1

Accession Number(s): NP_038474.2; NP_001138597.1

Human GeneID(s): [23608](#)

Non-Human GeneID(s): 54484 (mouse)

Important Comments: This antibody is expected to recognize both reported isoforms (NP_038474.2; NP_001138597.1).

Immunogen

Peptide with sequence C-RYEHKPLKQEEAT, from the internet region of the protein sequence according to NP_038474.2; NP_001138597.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.


Western blot: Approx 50kDa band observed in fetal Mouse Brain lysates and 35kDa plus fainter 50kDa bands in adult Mouse Brain lysates (calculated MW of 52.9kDa according to NP_061280.2). The observed 35kDa band corresponds to the calculated MW of human isoform 2 (35.2kDa according to NP_001138597.1), but this size isoform has not yet been confirmed in Mouse. Recommended concentration: 1-3µg/ml. In transfected HEK293 transiently expressing full-length Human MKRN1 (myc and DYKDDDDK tagged), a band of approx. 60kDa was observed. No bands were observed in mock-transfected HEK293 and the same band was observed using anti-DYKDDDDK tag antibody. Recommended concentration, 0.3- 1µg/ml.

Purchase the +ve control! The transfected lysate used to QC this product is available for sale. Please email sales@everestbiotech.com to request datasheet, pricing and delivery information.


Species Reactivity

Tested: Human, Mouse

Expected from sequence similarity: Human, Mouse, Dog, Pig, Cow



EB10898 (1 μ g/ml) staining of Mouse fetal (A) and adult (B) Brain lysates (35 μ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



HEK293 lysate (10 μ g protein in RIPA buffer) over expressing Human MKRN1 with DYKDDDDK tag probed with EB10898 (0.3 μ g/ml) in Lane A and probed with anti- DYKDDDDK Tag (1/1000) in lane C. Mock-transfected HEK293 probed with EB10898 (1 μ g/ml) in Lane B. Primary incubations were for 1 hour. Detected by chemiluminescence.