



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB11532 - Goat Anti-Mindbomb 1 / MIB1 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: DAPK-interacting protein 1, DIP-1, DKFZp686I0769, DKFZp761M1710, E3 ubiquitin-protein ligase MIB1, FLJ90676, MGC129659, MGC129660, MIB, MIB1, mind bomb homolog 1, mindbomb homolog 1 (Drosophila), OTTHUMP00000162549, ubiquitin ligase mind bomb, ubiquitin ligase protein MIB1, zinc finger ZZ type with ankyrin repeat domain protein 2, ZZANK2, ZZZ6

Official Symbol: MIB1

Accession Number(s): NP_065825.1

Human GeneID(s): [57534](#)

Non-Human GeneID(s): 225164 (mouse), 307594 (rat)

Immunogen

Peptide with sequence C-DKDNTNVNADVQKLQ, from the internal region (near C Terminus) of the protein sequence according to NP_065825.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:16000.

Western blot: In transfected HEK293 transiently expressing Human MIB1 (myc and DYKDDDDK tagged), a band of approx. 135kDa is observed. No bands are observed in mock-transfected HEK293 and the same band is observed using anti-myc antibody.

Recommended concentration, 0.5-1µg/ml.


IHC: In paraffin embedded Human Cerebral Cortex shows staining of cytoplasm in the neuronal bodies, on one side of the nucleus. Recommended concentration, 2-4µg/ml.

Purchase the +ve control! The transfected lysate used in QC is available for sale. Please email sales@everestbiotech.com to request datasheet, pricing and delivery information.


Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Cow



HEK293 lysate (10ug protein in RIPA buffer) overexpressing Human MIB1 with C-terminal MYC tag probed with EB11532 (1ug/ml) in Lane A and probed with anti-MYC Tag (1/1000) in lane C. Mock-transfected HEK293 probed with EB11532 (1mg/ml) in Lane B. Primary incubations were for 1 hour. Detected by chemiluminescence.



EB11532 (2ug/ml) staining of paraffin embedded Human Cerebral Cortex. Steamed antigen retrieval with citrate buffer pH 6, HRP-staining.