



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB12143 - Goat Anti-SRRT / ARS2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: SRRT, serrate RNA effector molecule homolog (Arabidopsis), ARS2, ASR2, serrate, arsenate resistance protein 2, arsenate resistance protein ARS2, arsenite resistance protein, arsenite-resistance protein 2, serrate RNA effector molecule homolog

Official Symbol: SRRT

Accession Number(s): NP_056992.4; NP_001122324.1; NP_001122325.1; NP_001122326.1

Human GeneID(s): [51593](#)

Non-Human GeneID(s): 83701 (mouse), 686980 (rat)

Important Comments: This antibody is expected to recognize all reported isoform (NP_056992.4; NP_001122324.1; NP_001122325.1; NP_001122326.1).

Immunogen

Peptide with sequence C-DPRAIVEYRDL DAPD, from the C Terminus of the protein sequence according to NP_056992.4; NP_001122324.1; NP_001122325.1; NP_001122326.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:128000.


Western blot: Approx 140kDa band observed in lysates of cell line Daudi and of Mouse Spleen, and approx 150kDa band observed in lysates of Rat Testis (calculated MW of 101kDa according to Human NP_056992.4, 100kDa according to Mouse NP_113582.1 and 88.4kDa according to Rat XP_006221478.1). The observed molecular weight is explained by the acetylation of the protein and it corresponds to earlier findings from sources. An additional band of unknown identity was also consistently observed at 37kDa in Mouse Spleen. This band was successfully blocked by incubation with the immunizing peptide. Primary incubation was 1 hour.

IHC: Paraffin embedded Human Uterus. Recommended concentration: 5µg/ml.


Species Reactivity

Tested: Human, Mouse, Rat


Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow



EB12143 (0.1 μ g/ml) staining of Daudi (A) and Mouse Spleen (B) lysates (35 μ g protein in RIPA buffer). Detected by chemiluminescence.



EB12143 (0.1 μ g/ml) staining of Rat Testis lysate (35 μ g protein in RIPA buffer). Detected by chemiluminescence.



EB12143 (5µg/ml) staining of paraffin embedded Human Uterus. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.