



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Cyclin Dependant Kinase 7. Mouse Monoclonal Antibody

Cyclin dependant kinase 7; cdk7; CDK-activating kinase; CAK; TFIIF basal transcription factor complex kinase subunit

BACKGROUND

The immunogen for the anti-cdk 7 was a recombinant 221 amino acid fragment of the C terminus of p40mo15 recognizing a 40kD protein. It plays a crucial role in the activation of cdk's

ORDERING INFORMATION

CATALOG NUMBER

C145M

SIZE

100 µg

FORM

Unconjugated

HOST/CLONE

Mouse Clone MO-1

FORMULATION

Provided as solution in phosphate buffered saline with 0.08% sodium azide

CONCENTRATION

See vial for concentration

ISOTYPE

IgG2b

APPLICATIONS

Western Blot, Immunoprecipitation, Immunohistochemistry

SPECIES REACTIVITY

Human

ACCESSION NUMBER

P50613, Human

IMMUNOGEN

A recombinant 221 amino acid fragment of the C terminus of p40mo15 recognizing a 40kD protein

POSITIVE CONTROL/TISSUE EXPRESSION

COMMENTS

Applications: 1-10 ug/ml for Western Blot, Immunohistochemistry, Immunoprecipitation

PURIFICATION

Protein A/G Chromatography

SHIP CONDITIONS

Room Temperature

STORAGE CUSTOMER

Product should be stored at -20°C. Aliquot to avoid freeze/thaw cycles

STABILITY

Products are stable for one year from purchase when stored properly

REFERENCES

1) J.P. Tassan, et.al. (1994)J. Cell. Bio ..127(2), 467-478