



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



p19 - ink4d. Mouse Monoclonal Antibody

BACKGROUND

The immunogen for the anti-h-p19 was a his-tagged recombinant full length p19 protein recognizing a 19kD protein. The p19ink4d tumor suppressor protein shows no cross reactivity with the closely related inhibitors including p16 ink4a and p15ink4b. p19nk4d is a specific inhibitor of cdk4/cdk6 and is periodically expressed during cell cycle. It is maximally induced as cells enter S phase.

IMMUNOGEN

A his-tagged recombinant full length p19 protein recognizing a 19kD protein

POSITIVE CONTROL/TISSUE EXPRESSION

COMMENTS

Applications: Western Blot, Immunohistochemistry, Immunoprecipitation (co-precipitates cdk4/cdk6)

ORDERING INFORMATION

CATALOG NUMBER

C165M

SIZE

100 µg

FORM

Unconjugated

HOST/CLONE

Mouse Clone DCS100

FORMULATION

Provided as solution in phosphate buffered saline with 0.08% sodium azide

CONCENTRATION

See vial for concentration

ISOTYPE

IgG1

APPLICATIONS

Western Blot, Immunoprecipitation, Immunohistochemistry

SPECIES REACTIVITY

Human

ACCESSION NUMBER

P55273, Human

PURIFICATION

Protein A/G Chromatography

SHIP CONDITIONS

Room Temperature

STORAGE CUSTOMER

Product should be stored at -20°C. Aliquot to avoid freeze/thaw cycles

STABILITY

Products are stable for one year from purchase when stored properly

REFERENCES

1)H. Hirai, et. al. (1995) Mol. Cell. Biol. (15) 2672-2681