



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



KSHV/HHV8 (cyclin). Sheep Polyclonal Antibody

BACKGROUND

Human herpesvirus-8 (HHV-8) cyclin is a component of the HHV-8 virus particle. HHV8 has been found to be associated with three different diseases observed in AIDS patients; kaposi's sarcoma, primary effusion lymphoma (which is a rare type of non-Hodgkin lymphoma affecting the body cavities) and multicentric Castleman's disease. To date there is much evidence to support a direct role for HHV8 in kaposi's sarcoma.

ORDERING INFORMATION

CATALOG NUMBER

F105P

SIZE

250 µg

FORM

Unconjugated

HOST/CLONE

Sheep

FORMULATION

Provided as solution in phosphate buffered saline with 0.08% sodium azide

CONCENTRATION

See vial for concentration

ISOTYPE

IgG

APPLICATIONS

Immunoprecipitation

SPECIES REACTIVITY

ACCESSION NUMBER

O40946, Human

IMMUNOGEN

Inclusion Bodies from E. Coli expressing his-tagged full length human cyclin G2 protein.

POSITIVE CONTROL/TISSUE EXPRESSION

COMMENTS

Applications: Immunoblotting 1-5 ug/ml. Immunoprecipitation 10-20 ug/ml.

PURIFICATION

Ammonium Sulfate Precipitation

SHIP CONDITIONS

room temperature

STORAGE CUSTOMER

Product should be stored at -20°C. Aliquot to avoid freeze/thaw cycles

STABILITY

Products are stable for one year from purchase when stored properly

REFERENCES

Carbone, A., et al. "Proliferation in HHV-8-positive primary effusion lymphomas is associated with expression of HHV-8 cyclin but independent of p27(kip1)." Am. J. Pathol. 2000, 156, 1209-1215

Product Specific References:

1. Godfrey, A., et al. "Inhibiting primary effusion lymphoma by leniviral vectors encoding short hairpin RNA." Blood, 2005, 105, 2510-2518.
2. Sugaya, M., et al. "Lymphatic dysfunction in transgenic mice expressing KSHV k-cyclin under the control of the VEGFR-3 promoter." Blood, 2005, 105, 2356-2363.
3. Jarviluoma, A., et al. "KSHV viral cyclin binds to p27KIP1 in primary effusion lymphomas." Blood, 2004, 104, 3349-3354.