



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



p38 HOG Kinase. Sheep Polyclonal Antibody

BACKGROUND

p38HOG kinase is inactivated in response to numerous extracellular signalling events. Stress stimuli such as UV irradiation, thermal stress, inflammatory cytokines and bacterial products such as LPS stimulate the activation of p38HOG kinase. p38HOG kinase is necessary for the cellular inflammatory response in animals.

ORDERING INFORMATION

CATALOG NUMBER

K140P

SIZE

250 µg

FORM

Unconjugated

HOST/CLONE

Sheep

FORMULATION

Provided as solution in phosphate buffered saline with 0.08% sodium azide

CONCENTRATION

See vial for concentration

ISOTYPE

IgG

APPLICATIONS

Immunoprecipitation

SPECIES REACTIVITY

Mouse, Rat

ACCESSION NUMBER

,

IMMUNOGEN

POSITIVE CONTROL/TISSUE EXPRESSION

COMMENTS

Applications: 1-10 µg/ml for immunoprecipitation of the catalytically active form of p38HOG kinase in vitro kinase assay.

PURIFICATION

Ammonium Sulfate Precipitation

SHIP CONDITIONS

Room Temperature

STORAGE CUSTOMER

Product should be stored at -20°C. Aliquot to avoid freeze/thaw cycles

STABILITY

Products are stable for one year from purchase when stored properly

REFERENCES