



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Protein Phosphatase 4 R1 (X/A) . Sheep Polyclonal Antibody

**BACKGROUND**

Protein serine/threonine phosphatase 4R1 is a protein which is associated with the catalytic subunit of protein serine/threonine phosphatase 4 (PP4C) and may possibly regulate the activity of the enzyme. PP4C is 65% identical to PP2AC at the amino acid level and has been placed in the type 2A family of phosphatases. PP4C has been highly conserved between species sharing 91% amino acid identity between human and Drosophila PP4C is predominantly localized in the nucleus in rat brain and liver but is most highly expressed in testis. Additionally, PP4C was demonstrated to be an essential enzyme in the development of Drosophila embryos. The expression of PP4C was reduced to 25% of the normal protein level in a mutant strain of Drosophila termed centrosomes minus microtubules (cmm). An interesting characteristic of the cmm phenotype is the presence of regions of cells that are unable to complete mitosis because no microtubules exist to connect chromatin and centrosomes. This phenotype implicates PP4C in the regulation of the nucleation and/or stabilization of microtubules. These data taken together indicate that PP4 has a crucial cellular function, although a physiological substrate for PP4 has not yet been identified.

**IMMUNOGEN**

Antibody raised against synthetic peptide corresponding to amino acids 38 to 52 of the human protein phosphatase 4R1.

**POSITIVE CONTROL/TISSUE EXPRESSION**

Not available

**COMMENTS**

Detects protein phosphatase X/A (PP4 R1) protein by Western blot (5-10  $\mu\text{g/ml}$ ). Detects a 125 kDa band in bovine testes lysate. Optimal concentration should be evaluated by serial dilutions.

**ORDERING INFORMATION**

**CATALOG NUMBER**

P210P

**SIZE**

100  $\mu\text{g}$

**FORM**

Unconjugated

**HOST/CLONE**

Sheep

**FORMULATION**

Provided as solution in phosphate buffered saline with 0.08% sodium azide

**CONCENTRATION**

See vial for concentration

**ISOTYPE**

IgG

**APPLICATIONS**

Western Blot

**SPECIES REACTIVITY**

Human, Mouse, Rat

**ACCESSION NUMBER**

Q8TF05, Human

**PURIFICATION**

Ammonium Sulfate Precipitation

**SHIP CONDITIONS**

Ship at ambient temperature, freeze upon arrival

**STORAGE CUSTOMER**

Product should be stored at -20°C. Aliquot to avoid freeze/thaw cycles

**STABILITY**

Products are stable for one year from purchase when stored properly

**REFERENCES**

Kloeker, S., et al. Purification and identification of a novel subunit of protein serine/threonine phosphatase 4. J. Biol. Chem. 1999, 274, 5339-5347.