



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



HA agarose. Mouse Monoclonal Antibody
Mouse anti HA, Agarose Conjugate, hemagglutinin

BACKGROUND

A nine amino acid sequence derived from the viral hemagglutinin is frequently incorporated into recombinant proteins as an expression tag. Clone 12CA5 anti-HA is useful for western blotting and immunoprecipitation of these proteins. Shown is a typical western blot (10% SDS-PAGE) of HA-tagged Rit, a Ras-family GTPase, expressed in HEK293 cells and immunoprecipitated with anti-HA agarose (lane 1), lysate of HA-tagged Rit expressed in HEK293 cells (lane 2), and control HEK293 cells (lane 3) probed with clone 14G7 anti-Rit.

IMMUNOGEN

Balb/C mice were immunized with a 9 amino acid peptide to influenza virus hemagglutinin

POSITIVE CONTROL/TISSUE EXPRESSION

HA tagged proteins

COMMENTS

Optimal concentration should be evaluated by serial dilutions.

ORDERING INFORMATION

CATALOG NUMBER

X1029

SIZE

1 ml

FORM

HOST/CLONE

Mouse Clone 12CA5

FORMULATION

Provided as sterile filtered solution containing 20 mM sodium phosphate, 150 mM sodium chloride, pH 7.5, and 3 mM sodium azide

CONCENTRATION

See vial for concentration

ISOTYPE

IgG2b

APPLICATIONS

Immunoprecipitation

SPECIES REACTIVITY

HA tagged proteins

ACCESSION NUMBER

Q3TBD2, Mouse

PURIFICATION

SHIP CONDITIONS

Room Temperature

STORAGE CUSTOMER

Product should be stored at 4-8°C. DO NOT FREEZE

STABILITY

Reagents are stable for the period shown on the vial label when stored properly

REFERENCES

PRODUCT SPECIFIC REFERENCES