



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

L-type calcium channel alpha2/delta subunit. Rabbit Polyclonal Antibody

BACKGROUND

The calcium channel alpha2/delta subunit is a glycosylated structural subunit consisting of the alpha2 subunit and the delta peptide. There is distinctive alpha2 subunit expression in rat spinal cord and dorsal root ganglia (DRG). There are two forms of the alpha2 subunit in DRG that are different from the alpha2 subunit in other tissues examined, at least at the glycosylation level. Thus, post-translational modification may be important in tissue specific and functional expression of the alpha2/delta subunit (2). alpha2/delta and beta1b interact with alpha1G to increase trafficking of, or stabilize, functional alpha1G channels expressed at the plasma membrane.(3)

ORDERING INFORMATION

CATALOG NUMBER

X1512P

SIZE

100 µg

FORM

Unconjugated

HOST/CLONE

Rabbit

FORMULATION

Provided as solution in phosphate buffered saline with 0.08% sodium azide

CONCENTRATION

See vial for concentration

ISOTYPE

IgG

APPLICATIONS

Western Blot

SPECIES REACTIVITY

Human, Rat

ACCESSION NUMBER

Human Q8VHS9

IMMUNOGEN

Synthetic peptide derived from the rat alpha2/delta calcium channel conjugated to KLH

Western blot analysis using α2/δ antibody on rat brain lysate at 5 µg/ml.



← alpha2/delta
(122 kDa)

POSITIVE CONTROL/TISSUE EXPRESSION

Rat brain lysate

COMMENTS

This antibody can be used for Western blotting (5-10 $\mu\text{g/ml}$). Optimal concentration should be evaluated by serial dilutions.

PURIFICATION

Ammonium Sulfate Precipitation

SHIP CONDITIONS

Ship at ambient temperature, freeze upon arrival

STORAGE CUSTOMER

Product should be stored at -20°C . Aliquot to avoid freeze/thaw cycles

STABILITY

Products are stable for one year from purchase when stored properly

REFERENCES

1. Kim, H.L et al. 'Rat brain expresses an alternatively spliced form of the dihydropyridine-sensitive L-type calcium channel alpha 2 subunit.' Proc. Natl. Acad. Sci. U.S.A. 89 (8), 3251-3255 (1992)
2. Luo, Z.D. 'Rat dorsal root ganglia express distinctive forms of the alpha2 calcium channel subunit.' Neuroreport.;11 (16):3449-52 (2000)
3. Dolphin, AC et al. 'The effect of alpha2-delta and other accessory subunits on expression and properties of the calcium channel alpha1G.' J Physiol.;519 Pt 1:35-45.(1999)

PRODUCT SPECIFIC REFERENCES