



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



Sphingomyelin synthase-related protein 1. Rabbit Polyclonal Antibody SMSr

BACKGROUND

Sphingomyelin synthases are enzymes that mediate the biosynthesis of sphingolipid headgroups. Sphingomyelin synthase 1 and 2 (SMS1 and SMS2) mediate the biosynthesis of sphingomyelin, a central sphingolipid in mammalian cells. In addition to SMS1 and SMS2, a third SMS-related protein, SMSr, is known, however its function remains largely unknown. SMSr also occurs in organisms which lack sphingomyelin, such as the fruit fly *Drosophila melanogaster*. Its function appears to be biosynthesis of ethanolamine phosphorylceramide (EPC), a sphingolipid structurally related to sphingomyelin. SMSr has also been found in mammals as well.

ORDERING INFORMATION

CATALOG NUMBER

X1861P

SIZE

100 µg

FORM

Unconjugated

HOST/CLONE

Rabbit

FORMULATION

Provided as solution in phosphate buffered saline with 0.08% sodium azide

CONCENTRATION

See vial for concentration

ISOTYPE

IgG

APPLICATIONS

Western Blot

SPECIES REACTIVITY

Drosophila


ACCESSION NUMBER

Human Q9VS60

IMMUNOGEN

Recombinant SMSr derived from *Drosophila*.

Detection of 20 ng/lane recombinant SMSr using X1861P (1.25 µg/ml) and anti-rabbit HRP (1:200k) and using Pierce's Super Signal West Femto.



POSITIVE CONTROL/TISSUE EXPRESSION

Recombinant sphingomelin synthase protein

COMMENTS

Optimal concentration should be evaluated by serial dilutions.

PURIFICATION

Ammonium Sulfate Precipitation

SHIP CONDITIONS

Ship at ambient temperature, freeze upon arrival

STORAGE CUSTOMER

Product should be stored at -20°C. Aliquot to avoid freeze/thaw cycles

STABILITY

Products are stable for one year from purchase when stored properly

REFERENCES

- 1: Dickson, R. C. (1998) Annu. Rev. Biochem. 67, 27–48
- 2: Pewzner-Jung, Y., Ben-Dor, S., and Futerman, A. H. (2006) J. Biol. Chem. 281, 25001–25005
- 3: Mandon, E. C., Ehses, I., Rother, J., van Echten, G., and Sandhoff, K. (1992) J. Biol. Chem. 267, 11144–11148
- 4: Jeckel, D., Karrenbauer, A., Burger, K. N., van Meer, G., and Wieland, F. (1992) J. Cell Biol. 117, 259–267
- 5: Futerman, A. H., Stieger, B., Hubbard, A. L., and Pagano, R. E. (1990) J. Biol. Chem. 265, 8650–8657
- 6: Huitema, K., van den Dikkenberg, J., Brouwers, J. F., and Holthuis, J. C. (2004) EMBO J. 23, 33–44
- 7: Yamaoka, S., Miyaji, M., Kitano, T., Umehara, H., and Okazaki, T. (2004) J. Biol. Chem. 279, 18688–18693
- 8: Ullman, M. D., and Radin, N. S. (1974) J. Biol. Chem. 249, 1506–1512
- 9: Voelker, D. R., and Kennedy, E. P. (1982) Biochemistry 21, 2753–2759
- 10: van Helvoort, A., van't Hof, W., Ritsema, T., Sandra, A., and van Meer, G. (1994) J. Biol. Chem. 269, 1763–1769
- 11: Muehlenberg, B. A., Sribney, M., and Duffe, M. K. (1972) Can J. Biochem. 50, 166–173
- 12: Hannun, Y. A., and Obeid, L. M. (2002) J. Biol. Chem. 277, 25847–25850
- 13: Wiegmann, K., Schutze, S., Machleidt, T., Witte, D., and Kronke, M. (1994) Cell 78, Spiegel, S., and Milstien, S. (2003) Nat. Rev. Mol. Cell Biol. 4, 397–407
- 14: Ogretmen, B., and Hannun, Y. A. (2004) Nat. Rev. Cancer 4, 604–616
- 15: Holthuis, J. C., Pomorski, T., Raggers, R. J., Sprong, H., and Van Meer, G. (2001) Physiol. Rev. 81, 1689–1723

PRODUCT SPECIFIC REFERENCES