



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



NUMB Blocking Peptide

BACKGROUND

NUMB is implicated in the control of cell fate decisions during development. It interacts with EPS15, LNX and NOTCH1, and may interact with DUOXA1. It interacts with RALBP1 in a complex also containing EPN1 and TFAP2A during interphase and mitosis.

ORDERING INFORMATION

CATALOG NUMBER
X2291B

SIZE
50 μ g

CUSTOMER STORAGE
Product should be stored at -20°C.
Aliquot to avoid freeze/thaw cycles

FORMULATION
Provided as solution in phosphate buffered saline

SHIP CONDITIONS
Ship at ambient temperature, freeze upon arrival

STABILITY
Products are stable for one year from purchase when stored properly

COMMENTS

For use with Numb polyclonal antibodies (Cat. No. X2352P & X2353P).

INSTRUCTIONS

Incubate antibody neat with at least a 50 fold stoichiometric excess of blocking peptide at 37 deg C for 20 minutes (molecular weights of peptide and antibody are ~2.5 kDa and ~160 kDa, respectively). Antibody can then be diluted to a concentration suitable for Western blot.

Example: 10 μ l or 10 μ g of Exalalpha's rabbit anti-Numb (Cat. No. X2353P) is added to 10 μ g of blocking peptide for a total volume of 20 μ l. The mixture is allowed to incubate for 20 minutes at 37 deg C prior to dilution in suitable buffer (for Western blot, etc.).