



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

**Microphthalmia Transcription Factor (MiTF). Mouse Monoclonal Antibody**  
MiTF


**BACKGROUND**

In Western blotting, it recognizes a doublet of 52-56kDa, identified as serine-phosphorylated and unphosphorylated forms of melanocytic isoforms of microphthalmia (Mi) transcription factor. There are two known isoforms of MiTF differing by 66 amino acids at the NH2 terminus. Shorter forms are expressed in melanocytes and run as two bands at 52kDa and 56kDa, while the longer Mi form runs as a cluster of bands at 60-70kDa in osteoclasts and in B16 melanoma cells (but not other melanoma cell lines), as well as mast cells and heart. It reacts with both melanocytic as well as the non-melanocytic isoforms of MiTF. This Ab does not cross-react with other b-HLH-ZIP factors by DNA mobility shift assay. Mi is a basic helix-loop-helix-leucine zipper (b-HLH-ZIP) transcription factor implicated in pigmentation, mast cells and bone development. The mutation of MiTF causes Waardenburg Syndrome type II in humans. In mice, a profound loss of pigmented cells in the skin eye and inner ear results, as well as osteopetrosis and defects in natural killer and mast cells. These melanocyte isoforms have been shown by two dimensional tryptic mapping to differ in c-Kit-induced phosphorylation. Osteopetrotic rat strain harbors a large genomic deletion encompassing the 3' half of MiTF including most of the b-HLH-ZIP region. Osteoclasts from these animals lack MiTF protein in contrast to wild-type rat, mouse, and human osteoclasts.

**IMMUNOGEN**

Hybridoma produced by the fusion of splenocytes from RBF/DnJ mice immunized with an N-terminal fragment of human microphthalmia protein and mouse myeloma NS1 cells.

Immunohistochemical staining using microphthalmia antibody on formalin fixed, paraffin embedded human melanoma.



**ORDERING INFORMATION**

**CATALOG NUMBER**  
X2397M

**SIZE**

100 µg

**FORM**

Unconjugated

**HOST/CLONE**

Mouse Clone D5

**FORMULATION**

Provided as solution in phosphate buffered saline with 0.08% sodium azide

**CONCENTRATION**

See vial for concentration

**ISOTYPE**

IgG1

**APPLICATIONS**

Gel Supershift, Western Blot, Immunoprecipitation, Immunohistochemistry (Frozen & Paraffin Sections)

**SPECIES REACTIVITY**

Human, Dog

**ACCESSION NUMBER**

Human O75030

**POSITIVE CONTROL/TISSUE EXPRESSION**

501 Mel human melanoma cells, wild-type human, rat, mouse osteoclast cells

**COMMENTS**

This antibody can be used for gel supershift assays, immunoprecipitation (2  $\mu$ g/mg of protein lysate), Western blotting (1  $\mu$ g/ml) and immunohistochemistry on frozen and formalin/paraffin tissue sections. Optimal concentration should be evaluated by serial dilutions.

**PURIFICATION**

Protein A/G Chromatography

**SHIP CONDITIONS**

Ship at ambient temperature, freeze upon arrival

**STORAGE CUSTOMER**

Product should be stored at -20°C. Aliquot to avoid freeze/thaw cycles

**STABILITY**

Products are stable for one year from purchase when stored properly

**REFERENCES**

1. Weilbaecher KN, et. al. Age-resolving osteopetrosis: a rat model implicating microphthalmia and the related transcription factor TFE3. J. Exp.Med. 1998, 187: 775-785
2. Hemesath P, et. al. MAP kinase links the transcription factor microphthalmia to c-Kit signalling in melanocytes. Nature. 1998, 391:298-301

**PRODUCT SPECIFIC REFERENCES**