



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Chicken anti Human placenta-derived cytonectin (not affinity purified)

[exalpha.com/products/chicken-anti-human-placenta-derived-cytonectin-not-affinity-purified/AHC](https://www.exalpha.com/products/chicken-anti-human-placenta-derived-cytonectin-not-affinity-purified/AHC)

Catalog number: **AHC**

Product Type	Primary antibodies
Units	10 mg
Host	Chicken
Application	ELISA Western Blotting

Source

Cytonectin was isolated from a cell lysate of normal human third trimester placenta by reversed-order OFarrell gel electrophoresis (ROOGE). Purified cytonectin was used to immunize a chicken. After multiple immunizations, eggs were collected and IgY was purified from the egg yolk.

Product

Product Form: Egg yolk-derived purified IgY

Formulation: Phosphate buffered saline, pH 7.2 with 0.05% sodium azide

Purification Method: Egg yolk-derived purified IgY (non affinity purified)

Concentration: See vial for concentration.

Applications

For immunoblotting, antibody is diluted to a 1 mg/ml stock solution. This is diluted 1:1000 immediately prior to blot application. The bound primary antibody is detected by HRP-goat anti-chicken IgY Fc fragment as secondary antibody, followed by any chemiluminescence protocol. The anti-cytonectin antibody is also useful for immunomicroscopy. Most tissues have some cytonectin detectable. Many pathologic tissues, especially neoplastic cells, show increased cytonectin expression. The antigens are highly evolutionarily conserved in human, rodent, and avian tissues.

Storage

Product should be stored at -20°C. Aliquot to avoid freeze/thaw cycles.

Caution

This product is intended FOR RESEARCH USE ONLY, and FOR TESTS IN VITRO, not for use in diagnostic or therapeutic procedures involving humans or animals. It may contain hazardous ingredients. Please refer to the Safety Data Sheets (SDS) for additional information and proper handling procedures. Dispose product remainders according to local regulations. This datasheet is as accurate as reasonably achievable, but Exalpha Biologicals accepts no liability for any inaccuracies or omissions in this information.

Safety Datasheet(s) for this product:

EA_Sodium Azide