



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Ferredoxin 3 antibody

Cat No. GTX00918

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB, ELISA
Reactivity	Arabidopsis thaliana, Zea mays, Synechocystis sp. PCC6803

Package
100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
WB	1:1000-1:3000
ELISA	Assay dependent

Not tested in other applications.

Calculated MW 17 kDa. ([Note](#))


PROPERTIES

Form	Liquid
Buffer	Filter-sterilized PBS, 50% glycerol
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	2 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Purified recombinant Arabidopsis Fd3 protein (full-size, no-tag attached)
Purification	Protein A purified
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES


**GTX00918 WB Image**

WB analysis of various samples using GTX00918 Ferredoxin 3 antibody. Molecular masses of Fd3 of arabidopsis and maize is 16.6 and 16.1 kDa, respectively. Fdx3 is abundantly expressed in root but it is also expressed in leaf.

Lane 1 : Arabidopsis leaf extract (10 µg)

Lane 2 : Maize leaf extract (10 µg)

Dilution : 1:1000

**GTX00918 WB Image**

WB analysis of crude extract of Cyanobacterium Synechocystis sp. PCC 6803 using GTX00918 Ferredoxin 3 antibody. Molecular mass of Synechocystis PCC 6803 indicated from the sequence is 15 kDa.

SDS-PAGE : 15% Dilution : 1:1000



For full product information, images and publications, please visit our [website](#).