



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

IL17A antibody

Cat No. GTX01094

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB, ICC/IF, IHC-P, ELISA
Reactivity	Human, Mouse

Package
100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
WB	0.125-0.5 µg/mL
ICC/IF	5-20 µg/mL
IHC-P	2-5 µg/mL
ELISA	Assay dependent

Not tested in other applications.

Calculated MW 18 kDa. ([Note](#))


PROPERTIES

Form	Liquid
Buffer	PBS, 0.02% sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide corresponding to 16 amino acids near the center of mature human IL-17. The immunogen is located within amino acids 50-100 of IL-17.
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.




For full product information, images and publications, please visit our [website](#).


DATA IMAGES

**GTX01094 IHC-P Image**


IHC-P analysis of 4% PFA-fixed mouse thymus tissue using GTX01094 IL17A antibody.
Dilution : 20µg/mL

**GTX01094 IHC-P Image**

IHC-P analysis of formaldehyde-fixed mouse colon tissue using GTX01094 IL17A antibody.
Antigen retrieval : Heat mediation with a citrate buffer (pH6)
Dilution : 2µg/mL

**GTX01094 IHC-P Image**

ICC/IF analysis of 4% PFA-fixed A-20 cells using GTX01094 IL17A antibody.
Green : Primary antibody
Blue : DAPI
Dilution : 5 µg/mL

**GTX01094 IHC-P Image**

IHC-P analysis of formaldehyde-fixed human tonsil tissue using GTX01094 IL17A antibody.
Antigen retrieval : Heat mediation with a citrate buffer (pH6)
Dilution : 5µg/mL



For full product information, images and publications, please visit our [website](#).