



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

ConA Lectin

Cat No. GTX01503

Application	Conjugation, Puri
--------------------	-------------------

Package	1 mg
----------------	------

PRODUCT

Product Description

Concanavalin A is a lectin protein (MW 104kDa), homotetramer 26 kDa; originally extracted from the jack-bean, *Canavalia ensiformis*. It binds specifically to certain structures found in various sugars α -mannosyl and α -glucosyl residues in glycoproteins. It was the first lectin to be available on a commercial basis and is widely used in biology and biochemistry to characterize glycoproteins and other sugar-containing entities. It is also used to purify macromolecules in lectin affinity chromatography. Concanavalin A interacts with diverse receptors containing mannose carbohydrates (serum and membrane glycoproteins). ConA agglutinates strongly erythrocytes without being blood group specific. Normal cell reagglutinates after trypsinisation. ConA is not only a lymphocyte mitogen and reacts with many bacteria, like *E. coli*, *Dictyostelium discoideum* and *B. subtilis*, but also widely believed to be involved in the interaction between alpha-mannosyl oligosaccharides on the surface of the HIV virus and the human T cell lymphocyte.

APPLICATION

Specificity/Sensitivity	alpha-linked mannose and glucose
--------------------------------	----------------------------------

PROPERTIES

Form	Liquid
-------------	--------

Buffer	10 mM bicarbonate, 150 mM NaCl, 0.1 mM Calcium chloride, 0.01mM manganese chloride (pH 8.0) and 0.05% sodium azide. (Con A has an Isoelectric point of about pH 4.5-5.5 and requires calcium or manganese ions at each of its four saccharide binding sites; These ions should be used in buffer. DO NOT USE phosphate buffer for dilution of this lectin as it will decrease the activity of lectin).
---------------	--

Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4° C.
----------------	--

Concentration	10 mg/ml (Please refer to the vial label for the specific concentration.)
----------------------	---

Conjugation	Unconjugated
--------------------	--------------

Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
-------------	--



For full product information, images and publications, please visit our [website](#).