



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Androgen Receptor antibody [AR27]

Cat No. GTX01898

|             |            |
|-------------|------------|
| Host        | Mouse      |
| Clonality   | Monoclonal |
| Isotype     | IgG1       |
| Application | IHC-P      |
| Reactivity  | Human      |

Package  
500 µl

## APPLICATION

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Dilution |
|--------------------|----------|
| IHC-P              | 1:25     |

**Note : The recommended fixative is 10% neutral-buffered formalin for paraffin-embedded tissue sections. Heat Induced Epitope Retrieval (HIER) was performed in Epitope Retrieval Solution pH 9.**

Not tested in other applications.

Calculated MW 99 kDa. ([Note](#))


## PROPERTIES

|               |  |
|---------------|--|
| Form          | Liquid   |
| Buffer        | Tissue culture supernatant with sodium azide   |
| Storage       | Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.                                   |
| Concentration | >45 µg/ml (Please refer to the vial label for the specific concentration.)   |
| Immunogen     | Prokaryotic recombinant protein of 321 amino acids representing the N-terminus of the human androgen receptor.                           |
| Purification  | Unpurified   |
| Conjugation   | Unconjugated   |
| Note          | For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. |



For full product information, images and publications, please visit our [website](#).

## DATA IMAGES

**GTX01898 IHC-P Image**

IHC-P analysis of human skin using GTX01898 Androgen Receptor antibody [AR27]. Note the nuclear staining of the epithelial cells.



For full product information, images and publications, please visit our [website](#).