



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## CD146 antibody [N1238]

Cat No. GTX01919

|                    |            |
|--------------------|------------|
| <b>Host</b>        | Mouse      |
| <b>Clonality</b>   | Monoclonal |
| <b>Isotype</b>     | IgG1       |
| <b>Application</b> | IHC-P      |
| <b>Reactivity</b>  | Human      |

Package  
500 µl

## APPLICATION

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Dilution |
|--------------------|----------|
| IHC-P              | 1:50     |

**Note : The recommended fixative is 10% neutral-buffered formalin for paraffin-embedded tissue sections. Heat Induced Epitope Retrieval (HIER) was performed in Epitope Retrieval Solution pH6.**

Not tested in other applications.

|                      |                                  |
|----------------------|----------------------------------|
| <b>Calculated MW</b> | 72 kDa. ( <a href="#">Note</a> ) |
|----------------------|----------------------------------|


## PROPERTIES

|                      |  |
|----------------------|--|
| <b>Form</b>          | Liquid   |
| <b>Buffer</b>        | Tissue culture supernatant with sodium azide   |
| <b>Storage</b>       | Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.                                   |
| <b>Concentration</b> | > 19.6 µg/ml (Please refer to the vial label for the specific concentration.)  |
| <b>Immunogen</b>     | Prokaryotic recombinant fusion protein corresponding to a portion of the external domain of the human CD146 molecule.                    |
| <b>Purification</b>  | Unpurified   |
| <b>Conjugation</b>   | Unconjugated   |
| <b>Note</b>          | For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. |



For full product information, images and publications, please visit our [website](#).

## DATA IMAGES

**GTX01919 IHC-P Image**

IHC-P analysis of human malignant melanoma using GTX01919 CD146 antibody [N1238]. Note membrane staining of metastatic melanocytes and endothelial cells.



For full product information, images and publications, please visit our [website](#).