



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## DAG1 / beta Dystroglycan antibody [43DAG1/8D5]

Cat No. GTX01940

<b>Host</b>	Mouse
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG2a
<b>Application</b>	IHC-Fr
<b>Reactivity</b>	Human, Mouse, Rat, Rabbit, Dog, Hamster, Chicken, Frog

Package  
500 µl

## APPLICATION

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
IHC-Fr	1:50–1:200

**Note : Freeze specimen tissue blocks in isopentane chilled in liquid nitrogen.**

Not tested in other applications.

**Calculated MW** 97 kDa. ([Note](#))

## PROPERTIES

<b>Form</b>	Liquid
<b>Buffer</b>	Tissue culture supernatant with sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Concentration</b>	>240 µg/ml (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Synthetic peptide containing 15 of the last 16 amino acids at the extreme C-terminus of the human beta-dystroglycan sequence (PKNMTPYRSPPPYVP-PCOOH).
<b>Purification</b>	Unpurified
<b>Conjugation</b>	Unconjugated
<b>Note</b>	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.



For full product information, images and publications, please visit our [website](#).

## DATA IMAGES

**GTX01940 IHC-Fr Image**

IHC-Fr analysis of human skeletal muscle using GTX01940 DAG1 / beta Dystroglycan antibody [43DAG1/8D5]. Staining is localized in the sarcolemma of the fibers.



For full product information, images and publications, please visit our [website](#).