



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

NGF beta antibody [R711]

Cat No. GTX02162

Host	Rabbit
Clonality	Monoclonal
Isotype	IgG
Application	Neutralizing/Inhibition
Reactivity	Human

Package
200 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
Neutralizing/Inhibition	Assay dependent

Note : 1. In a functional ELISA which immobilized Human NGF beta protein (GTX01287-pro) at 2 µg/ml (100 µl/well) in the plate, this antibody can block the binding of 5 µg/ml of biotinylated Human NTRK1/Fc Chimera proteinp to Human β-NGF protein. And the EC₅₀ is 3.84 µg/ml.

2. The neutralization activity of this antibody is measured by its ability to neutralize β-NGF-induced proliferation in TF-1 cells. The Neutralization titer (IC₅₀) is typically 0.048-0.19 µg/ml in the presence of 10 ng/ml recombinant Human β-NGF protein.

Not tested in other applications.

Calculated MW 27 kDa. ([Note](#))


PROPERTIES

Form	Liquid
Buffer	0.2 µm filtered Histidine and Arginine buffer (pH 6.0), 120mM NaCl, 0.02% Tween 80
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant Human NGF beta protein (active) (GTX01287-pro)
Purification	Purified by Protein A
Endotoxin	< 3 EU/mg
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES

**GTX02162 Neutralizing/Inhibition Image**

Proliferation of TF-1 cells elicited by Human NGF beta protein (active) (GTX01287-pro, 10 ng/ml) is neutralized by increasing concentrations of GTX02162 NGF beta antibody [R711].

IC₅₀ : 0.0480.19 µg/ml.



For full product information, images and publications, please visit our [website](#).