



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

HAI-2 antibody [XY9]

Cat No. GTX02801

Host	Mouse
Clonality	Monoclonal
Isotype	IgG
Application	WB, ICC/IF
Reactivity	Human

Reference (1)
Package
100 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
WB	1-5 µg/ml
ICC/IF	Assay dependent

Not tested in other applications.

Calculated MW 28 kDa. ([Note](#))


PROPERTIES

Form	Liquid
Buffer	PBS, 50% glycerol
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant human protein expressed in mammalian cells
Purification	Purified by protein A
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES




GTX02801 WB Image

Untreated (-) and treated (+) MCF-7 whole cell extracts (30 µg) were separated by 12% SDS-PAGE, and the membrane was blotted with HAI-2 antibody [XY9] (GTX02801) diluted at 1:1000. The HRP-conjugated anti-mouse IgG antibody (GTX213111-01) was used to detect the primary antibody.

Double bands were observed at 25~45 kDa.

Reference: PMID: 25786220



GTX02801 WB Image

Unboiled and boiled various whole cell extracts (30 µg) were separated by 12% SDS-PAGE, and the membrane was blotted with HAI-2 antibody [XY9] (GTX02801) diluted at 1:1000. The HRP-conjugated anti-mouse IgG antibody (GTX213111-01) was used to detect the primary antibody.

Double bands were observed at 25~45 kDa.

Reference: PMID: 25786220



For full product information, images and publications, please visit our [website](#).