



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

AGEs antibody

Cat. No. GTX03353

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB, IHC-P, FACS

Package
100 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:300-1:1000
IHC-P	1:200-1:400
FACS	1:20-100

Not tested in other applications.

PROPERTIES

Form	Liquid
Buffer	1% BSA, 50% Glycerol
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	BSA-AGE
Purification	Protein A purified
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES




GTX03353 FACS Image

FACS analysis of MCF7 cells using GTX03353 AGEs antibody. Acquisitions of 20,000 events were performed.
 Green : Primary antibody
 Orange : Isotype control
 Dilution : 1:100



GTX03353 WB Image

WB analysis of various sample lysates using GTX03353 AGEs antibody.
 Lane 1 : Mouse Kidney tissue lysate
 Lane 2 : Mouse Lung tissue lysate
 Lane 3 : Mouse Large intestine tissue lysate
 Lane 4 : Rat Testis tissue lysate
 Lane 5 : Rat Lung tissue lysate
 Lane 6 : Rat Large intestine tissue lysate
 Lane 7 : U87MG whole cell lysate
 Dilution : 1:1000



GTX03353 IHC-P Image

IHC-P analysis of rat kidney tissue using GTX03353 AGEs antibody.
 Antigen retrieval : Boiling in sodium citrate buffer (pH6) for 15min
 Dilution : 1:200



For full product information, images and publications, please visit our [website](#).