



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Fos B antibody

Cat. No. GTX03809

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	ICC/IF, IHC-P, ELISA
Reactivity	Human

Package

100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
ICC/IF	5µg/ml
IHC-P	2-5µg/ml
ELISA	0.1-0.5µg/m

Not tested in other applications.

Calculated MW 36 kDa. ([Note](#))


PROPERTIES

Form	Liquid
Buffer	4mg Trehalose, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	E.coli-derived human FOSB recombinant protein (Position: M1-S332).
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES

**GTX03809 IHC-P Image**

IHC-P analysis of human gallbladder adenocarcinoma tissue using GTX03809 Fos B antibody.

Antigen retrieval : Heat mediated antigen retrieval was performed in EDTA buffer (pH 8.0, epitope retrieval solution)


Dilution : 2 µg/ml

**GTX03809 IHC-P Image**

IHC-P analysis of human placenta tissue using GTX03809 Fos B antibody.

Antigen retrieval : Heat mediated antigen retrieval was performed in EDTA buffer (pH 8.0, epitope retrieval solution)


Dilution : 2 µg/ml

**GTX03809 IHC-P Image**

IHC-P analysis of human lung cancer tissue using GTX03809 Fos B antibody.

Antigen retrieval : Heat mediated antigen retrieval was performed in EDTA buffer (pH 8.0, epitope retrieval solution)


Dilution : 2 µg/ml

**GTX03809 IHC-P Image**

IHC-P analysis of human gallbladder adenocarcinoma tissue using GTX03809 Fos B antibody.

Antigen retrieval : Heat mediated antigen retrieval was performed in EDTA buffer (pH 8.0, epitope retrieval solution)

Dilution : 2 µg/ml

**GTX03809 ICC/IF Image**

ICC/IF analysis of SiHa cells using GTX03809 Fos B antibody.

Green : Primary antibody

Blue : DAPI

Antigen retrieval : Enzyme antigen retrieval reagent for 15 mins

Dilution : 5 µg/ml



For full product information, images and publications, please visit our [website](#).