



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Goat Anti-Rabbit IgG antibody, F(ab')₂ fragment, pre-adsorbed (PE)

Cat. No. GTX04150-08

| | |
|--------------------|--|
| Host | Goat |
| Clonality | Polyclonal |
| Isotype | IgG F(ab') ₂ |
| Application | WB, ICC/IF, IHC-P, IHC-Fr, FACS, ELISA |
| Reactivity | Rabbit |

Package

250 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|--------------------------------|
| WB | Assay dependent |
| ICC/IF | Assay dependent |
| IHC-P | Assay dependent |
| IHC-Fr | Assay dependent |
| FACS | ≤ 0.1 µg/10 ⁶ cells |
| ELISA | ≤ 1 µg/mL |

Note : The suggested use of these reagents is in a final volume of 100µl.

Not tested in other applications.

Product Note

Reacts with the heavy and light chains of rabbit IgG and the light chains of rabbit IgM. Pre-adsorbed with Mouse and human immunoglobulins and pooled sera. May react with immunoglobulins from other species

PROPERTIES


| | |
|----------------------|--|
| Form | Liquid |
| Buffer | PBS, a stabilizer |
| Preservative | 0.09% sodium azide |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE. Protect from light. |
| Concentration | 0.25 mg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | Pepsin digest of Goat Anti-Rabbit IgG(H+L). |
| Purification | Purified IgG |
| Conjugation | Phycoerythrin (PE) |



For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note
 Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES

GTX04150-08 ELISA Image

ELISA analysis of purified rabbit immunoglobulins using serially diluted GTX04150-08 Goat Anti-Rabbit IgG antibody, F(ab')₂ fragment, pre-adsorbed (PE).



For full product information, images and publications, please visit our [website](#).