



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Goat Anti-Golden Syrian Hamster IgG antibody, pre-adsorbed (PE-Cy7)

## Cat. No. GTX04160-10

|                    |                                |
|--------------------|--------------------------------|
| <b>Host</b>        | Goat                           |
| <b>Clonality</b>   | Polyclonal                     |
| <b>Isotype</b>     | IgG                            |
| <b>Application</b> | WB, IHC-P, IHC-Fr, FACS, ELISA |
| <b>Reactivity</b>  | Golden Syrian Hamster          |

Package  
250 µg

## APPLICATION

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution           |
|--------------------|--------------------------------|
| WB                 | Assay dependent                |
| IHC-P              | Assay dependent                |
| IHC-Fr             | Assay dependent                |
| FACS               | ≤ 0.1 µg/10 <sup>6</sup> cells |
| ELISA              | Assay dependent                |

**Note : The suggested use of these reagents is in a final volume of 100µl.**

Not tested in other applications.

## Product Note

Pre-adsorbed with Mouse and rat immunoglobulins and pooled sera. May react with immunoglobulins from other species and the light chains of other hamster immunoglobulins.

## PROPERTIES

|                      |  |
|----------------------|--|
| <b>Form</b>          | Liquid   |
| <b>Buffer</b>        | PBS, a stabilizer  |
| <b>Preservative</b>  | 0.09% sodium azide   |
| <b>Storage</b>       | Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE. Protect from light. |
| <b>Concentration</b> | 0.25 mg/ml (Please refer to the vial label for the specific concentration.)  |
| <b>Immunogen</b>     | Pooled antisera from goats hyperimmunized with hamster IgG   |
| <b>Purification</b>  | Purified by antigen-affinity chromatography  |
| <b>Conjugation</b>   | Phycoerythrin-Cyanine7 (PE-Cy7)  |




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

## DATA IMAGES

**GTX04160-10 FACS Image**

FACS analysis of BALB/c mouse splenocytes using Golden Syrian Hamster Anti-Mouse CD79b antibody followed by GTX04160-10 Goat Anti-Golden Syrian Hamster IgG antibody, pre-adsorbed (PE-CY7).



For full product information, images and publications, please visit our [website](#).