



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse Anti-Goat IgG (Fc) antibody [SB115d] (Biotin)

Cat. No. GTX04167-02

Host	Mouse
Clonality	Monoclonal
Isotype	IgG2a
Application	WB, IHC-Fr, ELISA
Reactivity	Goat

Package
500 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
IHC-Fr	Assay dependent
ELISA	1:5000-1:20000

Not tested in other applications.

Product Note Minimal reactivity to goat IgG Fab and sheep, rabbit, human, monkey, rat, hamster, canine, and swine IgG.

PROPERTIES

Form	Liquid
Buffer	PBS
Preservative	0.09% sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Pooled goat IgG
Purification	Purified IgG2a
Conjugation	Biotin

Note For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTX04167-02 ELISA Image

ELISA analysis of purified goat immunoglobulins using serially diluted GTX04167-02 Mouse Anti-Goat IgG (Fc) antibody [SB115d] (Biotin) followed by Streptavidin (HRP).



For full product information, images and publications, please visit our [website](#).