



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Arginase 1 antibody [MSVA-511R] HistoMAX™

Cat. No. GTX04426

| | |
|-------------|------------|
| Host | Rabbit |
| Clonality | Monoclonal |
| Isotype | IgG |
| Application | IHC-P |
| Reactivity | Human |

Package

500 µl, 100 µl

PRODUCT

This antibody was validated on 76 different Normal Tissues by IHC-P.

Summary

[Go to Normal Tissue Gallery](#)[Go to Cancer Tissue Gallery](#)

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
| IHC-P | 1:100-1:200 |

Note : Manual staining : Heat-induced antigen retrieval for 5 minutes in an autoclave at 121°C in pH 7.8 Tris-EDTA-based Target Retrieval Solution buffer.

This antibody has been validated by Autostainer including Agilent/Dako - Autostainer Link 48, Bond RX-Lecia, and Roche-Ventana Discovery ULTRA. The detailed steps by Autostainer please refer to the protocol.

Not tested in other applications.

Calculated MW 35 kDa. ([Note](#))

PROPERTIES

| | |
|---------------|--|
| Form | Liquid |
| Buffer | PBS, 0.05% BSA (Please contact us for PBS only format) |
| Preservative | 0.05% sodium azide |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 0.2 mg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | Recombinant human ARG1 protein fragment (aa300-400) |
| Purification | Protein A/G purified |



For full product information, images and publications, please visit our [website](#).

Date 2024 / 06 / 27 Page 1 of 2

Conjugation

Unconjugated

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES

**GTX04426 IHC-P Image**


IHC-P analysis of human liver tissue section using GTX04426 Arginase 1 antibody [MSVA-511R] HistoMAX™.

Strong nuclear and cytoplasmic arginase 1 expression in all hepatocytes in a normal liver.

**GTX04426 IHC-P Image**

IHC-P analysis of human hepatocellular carcinoma tissue section using GTX04426 Arginase 1 antibody [MSVA-511R] HistoMAX™.

Hepatocellular carcinoma showing strong nuclear and cytoplasmic arginase 1 positivity in all tumor cells.

**GTX04426 IHC-P Image**

IHC-P analysis of human liver cholangiocellular carcinoma tissue section using GTX04426 Arginase 1 antibody [MSVA-511R] HistoMAX™.

Complete absence of arginase 1 immunostaining in a cholangiocellular carcinoma of the liver.



For full product information, images and publications, please visit our [website](#).