



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Transgelin antibody

Cat. No. GTX04760

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB, ICC/IF, IHC-P
Reactivity	Human, Mouse, Rat

Package  
100 µl

## APPLICATION

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000-1:2000
ICC/IF	1:100-1:500
IHC-P	1:50-1:200

Not tested in other applications.

Calculated MW 23 kDa. ([Note](#))

## PROPERTIES

Form	Liquid
Buffer	PBS, 150 mM NaCl, 50% glycerol
Preservative	0.02% sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	A synthesized peptide derived from human TAGLN(Accession Q01995), corresponding to amino acid residues E170-S201.
Purification	Purified by antigen-affinity chromatography From serum
Conjugation	Unconjugated

## Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


## DATA IMAGES

**GTX04760 IHC-P Image**

IHC-P analysis of human ovary cancer tissue using GTX04760 Transgelin antibody.

Antigen retrieval : Heat mediated citrate buffer


Dilution : 1:100

**GTX04760 IHC-P Image**

IHC-P analysis of human ovary cancer and adjacent normal tissue using GTX04760 Transgelin antibody.

Antigen retrieval : Heat mediated citrate buffer


Dilution : 1:100

**GTX04760 IHC-P Image**

IHC-P analysis of human kidney cancer and adjacent normal tissue using GTX04760 Transgelin antibody.

Antigen retrieval : Heat mediated citrate buffer


Dilution : 1:100

**GTX04760 IHC-P Image**

IHC-P analysis of mouse testis tissue using GTX04760 Transgelin antibody.

Antigen retrieval : Heat mediated citrate buffer

Dilution : 1:100

**GTX04760 IHC-P Image**

IHC-P analysis of human gastric cancer tissue using GTX04760 Transgelin antibody.

Antigen retrieval : Heat mediated citrate buffer

Dilution : 1:100



For full product information, images and publications, please visit our [website](#).