



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Actc1a antibody

Cat. No. GTX124462

| | |
|--------------------|-------------------|
| Host | Rabbit |
| Clonality | Polyclonal |
| Isotype | IgG |
| Application | WB, IHC-P, IHC-Wm |
| Reactivity | Zebrafish |

Package
100 µl, 25 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
| WB | 1:500-1:3000 |
| IHC-P | 1:100-1:1000 |
| IHC-Wm | 1:100-1:500 |

Not tested in other applications.

PROPERTIES

| | |
|----------------------|--|
| Form | Liquid |
| Buffer | 1XPBS pH7, 20% Glycerol |
| Preservative | 0.025% ProClin 300 |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 0.79 mg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | The immunogen used to generate this antibody corresponds to zebrafish Actc1a |
| Purification | Purified by antigen-affinity chromatography. |
| Conjugation | Unconjugated |

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES

**GTX124462 IHC-Wm Image**

Immunohistochemical analysis (whole mount) of zebrafish embryo, using actc1a (GTX124462) antibody at 1:200 dilution.

**GTX124462 IHC-Wm Image**

Actc1a antibody detects Actc1a protein on whole mount zebrafish by immunohistochemical analysis.
Sample: Paraformaldehyde-fixed 2 days-post-fertilization zebrafish embryo.
Green: Actc1a stained by Actc1a antibody (GTX124462) diluted at 1:100.
Antigen Retrieval: Tris-HCl buffer, pH 9.0, 20 min at 70°C

**GTX124462 IHC-Wm Image**

Actc1a antibody detects Actc1a protein on zebrafish by whole mount immunohistochemical analysis.
Sample: 2 days-post-fertilization zebrafish embryo.
Actc1a antibody (GTX124462) dilution: 1:100.

**GTX124462 IHC-P Image**

Immunohistochemical analysis of paraffin-embedded zebrafish tissue, using actc1a (GTX124462) antibody at 1:300 dilution.



For full product information, images and publications, please visit our [website](#).