



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# Trident pico Western HRP Substrate

**Cat No. GTX17435**

**Application**      WB

**Reference ( 1 )**

**Package**

100 ml, 500 ml

## PRODUCT

	Trident femto-ECL	Content	Package
<b>Content</b>	GTX17435 (100ml)	GTX17435 Trident pico Western HRP Substrate Solution A	50ml
		GTX17435 Trident pico Western HRP Substrate Solution B	50ml
	GTX17435 (500ml)	GTX17435 Trident pico Western HRP Substrate Solution A	250ml
		GTX17435 Trident pico Western HRP Substrate Solution B	250ml

## APPLICATION

### Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
WB	Assay dependent


Not tested in other applications.

## PROPERTIES

<b>Form</b>	Liquid
<b>Storage</b>	Trident pico Western HRP Substrate shelf life is 24 months when stored in the dark at 2°C to 8°C. Keep container tightly closed. Store Trident pico Western HRP Substrate away from heat or light. Mixed substrate can be stored for up to 24 hours at 2-8°C.
<b>Note</b>	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.



For full product information, images and publications, please visit our [website](#).

**DATA IMAGES**

**GTX17435 WB Image**

Serial dilutions of purified mCherry recombinant protein were prepared and applied at 10 µL/well. After electrophoresis and protein transfer, membranes were probed with anti-mCherry antibody (GTX128508) diluted at 1:2000 and then with goat anti-rabbit HRP-conjugated secondary antibody (1:2000). Identical blots were incubated with 1 ml of Trident femto Western HRP Substrate, SuperSignal™ West Femto, Trident pico Western HRP Substrate, Clarity™, Trident plus Western HRP Substrate, and Luminata™ Forte. The blots were simultaneously exposed for 36 seconds and 180 seconds using BioSpectrum™ 500 digital imaging system. SuperSignal™ West Femto, Clarity™, Luminata™ Forte are registered trademark of Thermo Fisher Scientific, Bio-Rad, and EMD Millipore, respectively. The trademark holder is not affiliated with GeneTex and does not endorse this product.


**GTX17435 Image**

10µg of GTX109135-pro Galectin 2 recombinant protein analyzed using SDS-PAGE and stained with coomassie blue and captured by black and white camera.



For full product information, images and publications, please visit our [website](#).