



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CCR1 antibody [HL3023]

Cat. No. GTX640436

Host	Rabbit
Clonality	Monoclonal
Isotype	IgG
Application	WB, ICC/IF, IHC-P
Reactivity	Human, Mouse

Package
100 µl, 25 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000-1:10000
ICC/IF	Assay dependent
IHC-P	Assay dependent

Not tested in other applications.

PROPERTIES

Form	Liquid
Buffer	PBS
Preservative	No preservative
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Synthetic peptide encompassing a sequence within the Extracellular domain of human CCR1. The exact sequence is proprietary.
Purification	Affinity purified by Protein A.
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES




GTX640436 WB Image

Non-transfected (–) and transfected (+) boiled and unboiled 293T whole cell extracts (30 µg) were separated by 10% SDS-PAGE, and the membrane was blotted with CCR1 antibody [HL3023] (GTX640436) diluted at 1:5000. The HRP-conjugated anti-rabbit IgG antibody (GTX213110-01) was used to detect the primary antibody.




GTX640436 ICC/IF Image

CCR1 antibody [HL3023] detects CCR1 protein by immunofluorescent analysis. Sample: Mock and transfected 293T cells were fixed in ice-cold MeOH for 5 min. Green: CCR1 stained by CCR1 antibody [HL3023] (GTX640436) diluted at 1:500. Blue: Fluoroshield with DAPI (GTX30920).



GTX640436 IHC-P Image

CCR1 antibody [HL3023] detects CCR1 protein by immunohistochemical analysis. Sample: Paraffin-embedded mouse spleen. CCR1 stained by CCR1 antibody [HL3023] (GTX640436) diluted at 1:100. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



GTX640436 IHC-P Image

CCR1 antibody [HL3023] detects CCR1 protein by immunohistochemical analysis. Sample: Paraffin-embedded human A549 xenograft. CCR1 stained by CCR1 antibody [HL3023] (GTX640436) diluted at 1:100. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



GTX640436 IHC-P Image

CCR1 antibody [HL3023] detects CCR1 protein by immunohistochemical analysis. Sample: Paraffin-embedded human glioblastoma. CCR1 stained by CCR1 antibody [HL3023] (GTX640436) diluted at 1:100. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



For full product information, images and publications, please visit our [website](https://www.genetex.com).