



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Oxytocin Receptor antibody, Internal

Cat. No. GTX89340

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Application	IHC-P, FACS
Reactivity	Human

Package
100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
IHC-P	Assay dependent
FACS	Assay dependent

Not tested in other applications.

Calculated MW 43 kDa. ([Note](#))


PROPERTIES

Form	Liquid
Buffer	TBS pH7.3, 0.5% BSA
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide with sequence C-LRTRQKHSRL, from the internal region of the protein sequence according to NP_000907.2.
Purification	Purified by ammonium sulphate precipitation followed by antigen-affinity chromatography From serum
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES

**GTX89340 IHC-P Image**

IHC-P analysis of human ovary tissue using GTX89340 Oxytocin Receptor antibody, Internal.

Antigen retrieval : Heat induced antigen retrieval with citrate buffer pH 6

Dilution : 8µg/ml

**GTX89340 FACS Image**

FACS analysis of paraformaldehyde fixed Jurkat cells using GTX89340 Oxytocin Receptor antibody, Internal.

Blue : Primary antibody

Black : Isotype control

Permeabilization : 0.5% Triton

Dilution : 10ug/ml

Blue : Primary antibody

Black : Isotype control

Permeabilization : 0.5% Triton

Dilution : 10ug/ml



For full product information, images and publications, please visit our [website](#).