



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## TFPI antibody, C-term

Cat No. GTX89985

|             |            |
|-------------|------------|
| Host        | Goat       |
| Clonality   | Polyclonal |
| Isotype     | IgG        |
| Application | WB         |
| Reactivity  | Human      |

Package  
100 µg

## APPLICATION

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Dilution   |
|--------------------|------------|
| WB                 | 0.3-1µg/ml |

Not tested in other applications.

**Calculated MW** 35 kDa. ( [Note](#) )

**Specificity/Sensitivity** This antibody is expected to recognize isoform a (NP\_006278.1) only.


## PROPERTIES

|                      |                                                                                                                                                                                                                            |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Form</b>          | Liquid                                                                                                                                                                                                                     |
| <b>Buffer</b>        | Tris saline pH7.3, 0.02% sodium azide, 0.5% BSA.                                                                                                                                                                           |
| <b>Storage</b>       | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| <b>Concentration</b> | 0.50 mg/ml (Please refer to the vial label for the specific concentration.)                                                                                                                                                |
| <b>Immunogen</b>     | Peptide with sequence C-VKIAYEEIFVKNM, from the C Terminus of the protein sequence according to NP_006278.1.                                                                                                               |
| <b>Purification</b>  | Purified by ammonium sulphate precipitation followed by antigen affinity chromatography                                                                                                                                    |
| <b>Conjugation</b>   | Unconjugated                                                                                                                                                                                                               |
| <b>Note</b>          | For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.                                                                                   |




For full product information, images and publications, please visit our [website](#).

DATA IMAGES



**GTX89985 WB Image**

WB analysis of HEK293 overexpressing TFPI (mock transfection in first lane) using GTX89985 TFPI antibody, C-term.



**GTX89985 WB Image**

WB analysis of HeLa lysate using GTX89985 TFPI antibody, C-term.  
 Dilution : 0.3µg/ml  
 Loading : 35µg protein in RIPA buffer



For full product information, images and publications, please visit our [website](#).