



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



IBA Lifesciences GmbH
Rudolf-Wissell-Str. 28
37079 Goettingen
Germany
Tel.: +49 (0) 551-5 06 72-0
E-mail: info@iba-lifesciences.com
www.iba-lifesciences.com

Data Sheet

pASK-IBA3C

Cat. No.: 2-1322-000

Version: 11.0
Revision Date: 11.06.2021

Description	Expression plasmid. The expression cassette is under transcriptional control of the tetracycline promoter/operator. The expressed recombinant protein will be localized in the cytoplasm.
Affinity tag	Strep-tag®II fused to the C-terminus of the recombinant protein.
Bacterial Expression	Expression is induced upon addition of 200 µg anhydrotetracycline per 1 liter <i>E. coli</i> shaking culture ($A_{550} = 0.5$).
Expression strain	Any <i>E. coli</i> strain. The <i>tet</i> -promoter works independently from the genetic background of <i>E. coli</i> .
Resistance	Chloramphenicol Note: The Cam ^R resistance gene codes for homotetrameric chloramphenicol acetyltransferase (MW of the monomer = 26.6 kDa) which is predominantly expressed in the cytosol of <i>E. coli</i> transformed with this plasmid.
Form	5 µg, dissolved in 20 µl TE buffer, pH 8.0: 10 mM Tris/HCl, 1 mM EDTA
Concentration	250 ng/µl
Stability	12 months after shipping
Storage	recommended: 2-8 °C for frequent usage, -20 °C for long-term storage
Shipping	room temperature
Hazards	Product is not classified as hazardous according to (EC) No 1272/2008 [CLP]. A Material Safety Data Sheet is provided.

For research use only

Trademark information

The owners of trademarks marked by "®" or "TM" are identified at <http://www.iba-lifesciences.com/patents.html>. Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law.

Important licensing information

This product is covered by intellectual property (IP) rights and on completion of the sale IBA Lifesciences grants respective Limited Use Label Licenses to purchaser. IP rights and Limited Use Label Licenses for said technology are further described and identified at <http://www.iba-lifesciences.com/patents.html> or upon inquiry at info@iba-lifesciences.com or at IBA Lifesciences GmbH, Rudolf-Wissell-Str. 28, 37079 Goettingen, Germany. By use of this product the purchaser accepts the terms and conditions of all applicable Limited Use Label Licenses.


Multiple Cloning Site of pASK-IBA3C

1	CCATCGAATGGCCAGATGATTAATTCTAATTTTGTGACACTCTATCATTGATAGAGTTATTTTACCACTCCCTATCA	80
	forward primer	
	M G D R G P E	
81	GTGATAGAGAAAAGTGAAATGAATAGTTCGACAAAAATCTAGATAACGAGGGCAAAAaattgGGAGACCGCGGTCCCGAAT	160
	XbaI BsaI BsmFI	
	PshAI EcoRI	
	SacII	
	F E L G T R G S L E V D L Q G D H G L S A W S H P Q F	
	link Strep-tag®II	
161	TCGAGCTCGGTACCCGGGGATCCCTCGAGGTCGACCTGCAGGGGGACCATGGTCTCAGcgctTTGGAGCCACCCGAGTTC	240
	SstI KpnI BamHI SalI PstI BsmFI BsaI Eco47III	
	SmaI XhoI PshAI	
	NcoI	
	E K *	
241	GAAAAATAATAAGCTTGACCTGTGAAGTGAAAAATGGCGCACATTGTGCGACATTTTTTTGTCTGCCGTTTACCGCTAC	320
	HindIII reverse primer	
321	TGCGTCACGGATCTCCACGCGCCCTGTAGCGGCATTAAAGCGCGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTAC	400

Please note: Restriction enzymes in bold cut twice. The *BsaI* sites (isoschizomer of *Eco31I*) at each end of the multiple cloning site are useful for precise and oriented insertion of the recombinant gene by one cleavage reaction only. The “link” contains a restriction site which can be used for subcloning.

Features of pASK-IBA3C

	from bp	to bp
promoter	37	72
forward primer binding site	57	76
multiple cloning site	139	222
Strep-tag®II	223	252
reverse primer binding site	308	324
f1 origin	337	775
CamR resistance gene	897	1556
Tet-repressor	1569	2192
ColE1 origin	2345	2933



Cloning primers for the precise cloning using <i>BsaI</i> or <i>Eco31I</i>	Sequencing primers:
Forward: 5'- NNNNNNGGTCTCNA ATG (N ₁₇) * NNN NNN...	Forward: 5'- GAGTTATTTTACCACTCCCT -3'
Reverse: 5'- NNNNNNGGTCTCNGC GCT (N ₂₀) NNN NNN...	Reverse: 5'- CGCAGTAGCGGTAAACG -3'

* The ATG start codon is already included