



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



**IBA Lifesciences GmbH**  
Rudolf-Wissell-Str. 28  
37079 Goettingen  
Germany  
Tel.: +49 (0) 551-5 06 72-0  
E-mail: [info@iba-lifesciences.com](mailto:info@iba-lifesciences.com)  
[www.iba-lifesciences.com](http://www.iba-lifesciences.com)

## Data Sheet

### pASG-IBAw1

Cat. No.: 5-4000-001

Version: 3.0  
Revision Date: 14.06.2021

|                             |                                                                                                                                                                                                                                 |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Description</b>          | <b>StarGate Acceptor Vector for bacterial expression. The expression cassette is under transcriptional control of the tetracycline promoter/operator. The expressed recombinant protein will be localized in the cytoplasm.</b> |
| <b>Affinity tag</b>         | no affinity tag                                                                                                                                                                                                                 |
| <b>Cloning Strategy</b>     | Cloning into StarGate Acceptor Vectors has to be done with the restriction enzyme Esp3I. There is no Multiple Cloning Site (MCS) available that can be used for the integration of the gene of interest instead (see manual).   |
| <b>Bacterial Expression</b> | Expression is induced upon addition of 200 µg anhydrotetracycline per 1 liter <i>E. coli</i> shaking culture ( $A_{550} = 0.5$ ).                                                                                               |
| <b>Expression strain</b>    | Any <i>E. coli</i> strain. The <i>tet</i> -promoter works independently from the genetic background of <i>E. coli</i> .                                                                                                         |
| <b>Resistance</b>           | Ampicillin                                                                                                                                                                                                                      |
| <b>Form</b>                 | 5 µg, dissolved in 20 µl TE buffer, pH 8.0: 10 mM Tris/HCl, 1 mM EDTA                                                                                                                                                           |
| <b>Concentration</b>        | 250 ng/µl                                                                                                                                                                                                                       |
| <b>Stability</b>            | 12 months after shipping                                                                                                                                                                                                        |
| <b>Storage</b>              | recommended: 2-8 °C for frequent usage, -20 °C for long-term storage                                                                                                                                                            |
| <b>Shipping</b>             | room temperature                                                                                                                                                                                                                |
| <b>Hazards</b>              | Product is not classified as hazardous according to (EC) No 1272/2008 [CLP].<br>A Material Safety Data Sheet is provided.                                                                                                       |

#### For research use only


##### Trademark information

The owners of trademarks marked by “®” or “TM” are identified at <http://www.iba-lifesciences.com/patents.html>. Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law.

##### Important licensing information


This product is covered by intellectual property (IP) rights and on completion of the sale IBA Lifesciences grants respective Limited Use Label Licenses to purchaser. IP rights and Limited Use Label Licenses for said technology are further described and identified at <http://www.iba-lifesciences.com/patents.html> or upon inquiry at [info@iba-lifesciences.com](mailto:info@iba-lifesciences.com) or at IBA Lifesciences GmbH, Rudolf-Wissell-Str. 28, 37079 Goettingen, Germany. By use of this product the purchaser accepts the terms and conditions of all applicable Limited Use Label Licenses.

Expression cassette of pASG-IBAwt1



LacP/Z cassette = contains LacZ alpha fragment under control of a separate promoter, which allows alpha complementation of LacZ mutations such as *LacZΔM15* as in *E. coli* DH5α or TOP10.

your protein = after StarGate cloning using *Esp3I* your gene of interest will be located here



| Features                    | from bp | to bp | Recommended sequencing primer                                                                     |
|-----------------------------|---------|-------|---------------------------------------------------------------------------------------------------|
| f1 origin                   | 13      | 451   | ASG-Primer-for<br>5'- GAGTTATTTTACCACTCCCT -3'<br><br>ASG-Primer-rev<br>5'- CGCAGTAGCGGTAAACG -3' |
| AmpR resistance gene        | 600     | 1460  |                                                                                                   |
| Tet-repressor               | 1470    | 2093  |                                                                                                   |
| ColEI ori                   | 2246    | 2834  |                                                                                                   |
| Tet promoter                | 2939    | 2975  |                                                                                                   |
| forward primer binding site | 2959    | 2978  |                                                                                                   |
| LacZ alpha fragment         | 3290    | 3691  |                                                                                                   |
| reverse primer binding site | 3834    | 3850  |                                                                                                   |
| total vector length         |         | 3850  |                                                                                                   |