

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand


SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

Anti-Mouse Dendritic Cells In Vivo Antibody - Low Endotoxin (33D1) [ICH1092]

SKU: ICH1092

Link: https://www.ichor.bio/product/anti-dendritic-cells-in-vivo-antibody-low-endotoxin-33d1-ich1092/



Product Information

Category: anti-mouse, Low Endotoxin Size: 1mg, 5mg, 25mg, 50mg, 100mg Endotoxin Level: Low, Ultra low

Product Description

Product Benefits:

ichorbio's anti-Dendritic Cells In Vivo Antibody - Low Endotoxin (33D1) is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from our <u>competitors (http://www.ichor.bio/comparing-ichorbio-tobio-x-cell-biolegend/)</u> at less than 1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (<0.75EU/mg) at an even higher purity (98% versus 95%). ichorbio offers Amazon vouchers or donations to the NC3Rs for reviews of this product: click <u>here (http://www.ichor.bio/amazon-vouchers/)</u> for more information. ichorbio: the best antibodies for *in vivo* research.

Target:

Dendritic Cells

Clone:

33D1

lsotype:

Rat IgG2b

Other Names:

DCIR2

Host:

Rat

Species Reactivity:

Mouse

Specificity:

Anti-Dendritic Cells In Vivo Antibody - Low Endotoxin (33D1) recognizes Mouse Dendritic Cells

Purification Method:

This monoclonal antibody was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.

Antigen Distribution:

Clone 33D1 monoclonal antibody reacts with mouse dendritic cell (DC), specific surface marker, and DCIR2. DCIR2 has been reported on a variety of dendritic cell subpopulations from mouse thymus, spleen, lymph node, and Peyer's patch. Bone marrow dendritic cells require GM-CSF to express DCIR2, and this expression is downregulated in the presence of IL-4. DCIR2 has been detected in vivo in brain dendritic cells post infection with Toxoplasma gondii.

Background:

Dendritic cells (DC) are a small subpopulation of lymphoid cells with distinctive cytologic features, surface properties, and functions.

Immunogen:

Dendritic cells

Concentration:

0.5 mg/ml

Formulation:

0.01 M phosphate buffered saline (PBS) pH 7.2, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and Azide free.

Purity:

>95% by SDS-PAGE and HPLC >98% by SDS-PAGE and HPLC

Endotoxin:

 \leq 1.0 EU/mg as determined by the LAL method \leq 0.75 EU/mg as determined by the LAL method

Aggregation:

Aggregation level $\leq 5\%$ Aggregation level $\leq 1\%$

Storage:

anti-Dendritic Cells In Vivo Antibody - Low Endotoxin (33D1) is stable for at least one week when stored at 2-8°C. For long term storage, aliquot in working volumes without diluting and store at - 20°C in a manual defrost freezer. Avoid Repeated Freeze Thaw Cycles

Applications:

Western Blot

Application Notes:

Each investigator should determine their own optimal working dilution for specific applications.

Use:

Products are for research use only. Not for use in diagnostic or therapeutic procedures.

Isotype Control:

<u>Rat IgG2b In Vivo Isotype Control - Low Endotoxin [1-2] (ICH2243)</u> (<u>http://www.ichor.bio/product/Rat-IgG2b-In-Vivo-Isotype-Control-Low-Endotoxin-1-2-ICH2243)</u>