

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



# Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in




# Anti-Mouse ICAM-1 In Vivo Antibody - Low Endotoxin (BE29G1) [ICH1101]

**SKU: ICH1101** 

Link: https://www.ichor.bio/product/anti-icam-1-in-vivo-antibody-low-endotoxin-

be29g1-ich1101/



# **Product Information**

Category: anti-mouse, Low Endotoxin Size: 1mg, 5mg, 25mg, 50mg, 100mg Endotoxin Level: Low, Ultra low

# **Product Description**

#### **Product Benefits:**

ichorbio's anti-ICAM-1 In Vivo Antibody - Low Endotoxin (BE29G1) is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from our competitors (http://www.ichor.bio/comparing-ichorbio-to-bio-x-cell-biolegend/) at less than 1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (<0.75EU/mg) at an even higher purity (98% versus 95%). ichorbio offers Amazon vouchers or donations to the NC3Rs for reviews of this product: click <a href="here">here</a> (<a href="http://www.ichor.bio/amazon-vouchers/">http://www.ichor.bio/amazon-vouchers/</a>) for more information. ichorbio: the best antibodies for *in vivo* research.

Target:

ICAM-1

Clone:

**BE29G1** 

**Isotype:** 

Rat IgG2a

#### Other Names:

Intercellular adhesion molecule 1, Icam1, MALA-2, MyD10, CD54

#### **Uniprot:**

P13597 (https://www.uniprot.org/uniprot/P13597)

Host:

Rat

## **Species Reactivity:**

Mouse

#### **Specificity:**

Anti-ICAM-1 In Vivo Antibody - Low Endotoxin (BE29G1) recognizes the (Mr 95 kD) cell surface glycoprotein known as intracellular adhesion molecule ICAM-1. ICAM-1 is the receptor for LFA-1 (CD11a/CD18) and Mac-1 (CD11b/CD18).

#### **Antigen Distribution:**

The CD54 antigen is present on endothelial cells, lymphocytes, epithelial cells, dendritic cells and keratinocytes. It has been demonstrated that ICAM-1 enhances T-cell activation.

#### **Background:**

Intercellular adhesion molecule-1 (ICAM-1) is one of an important cell adhesion molecules (CAMs) family transmembrane glycoprotein and is critical for the firm arrest and transmigration of leukocytes out of blood vessels and into tissues. ICAM-1 is constitutively present on endothelial cells, but its expression is increased by proinflammatory cytokines. ICAM-1 is a marker of endothelial dysfunction leading

to damaging vascular disorders, in umbilical and placental vascular tissue of gestational pregnancies

### Immunogen:

Purified Recombinant Mouse ICAM-1 (>98%)

#### **Concentration:**

0.5 mg/ml

#### Formulation:

0.01 M phosphate buffered saline (PBS) pH 7.2, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and Azide free.

#### **Purity:**

>95% by SDS-PAGE and HPLC

>98% by SDS-PAGE and HPLC

#### **Endotoxin:**

≤ 1.0 EU/mg as determined by the LAL method

≤ 0.75 EU/mg as determined by the LAL method

#### Aggregation:

Aggregation level ≤ 5% Aggregation level ≤ 1%

#### Storage:

anti-ICAM-1 In Vivo Antibody - Low Endotoxin (BE29G1) is stable for at least one week when stored sterile at 2-8°C. For long term storage aseptically aliquot in working volumes without diluting and store at -80°C. Avoid Repeated Freeze Thaw Cycles.

## **Applications:**

Immunoprecipitation, Western Blot, Blocking

# **Application Notes:**

Blocking: This antibody blocks the binding LFA-1 (CD11a/CD18) to ICAM-1. The antibody is suitable for studies of inflammation, lymphocyte differentiation, and lymphocyte activation.

Each investigator should determine their own optimal working dilution for specific applications.

#### Use:

Products are for research use only. Not for use in diagnostic or therapeutic procedures.

#### **Isotype Control:**

Rat IgG2a In Vivo Isotype Control - Low Endotoxin [1-1] (ICH2244) (http://www.ichor.bio/product/Rat-IgG2a-In-Vivo-Isotype-Control-Low-Endotoxin-1-1-ICH2244)