



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Mouse IL-1R In Vivo Antibody - Low Endotoxin (JAMA-147) [ICH1117]

SKU: ICH1117

Link: <https://www.ichor.bio/product/anti-il-1r-in-vivo-antibody-low-endotoxin-jama-147-ich1117/>



Product Information

Category: anti-mouse, Low Endotoxin
Size: 1mg, 5mg, 25mg, 50mg, 100mg
Endotoxin Level: Low, Ultra low

Product Description

Product Benefits:

ichorbio's anti-IL-1R In Vivo Antibody - Low Endotoxin (JAMA-147) is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from our competitors (<http://www.ichor.bio/comparing-ichorbio-to-bio-x-cell-biolegend/>) at less than 1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (<0.75EU/mg) at an even higher purity (98% versus 95%). ichorbio offers Amazon vouchers or donations to the NC3Rs for reviews of this product: click here (<http://www.ichor.bio/amazon-vouchers/>) for more information. ichorbio: the best antibodies for *in vivo* research.

Target:

IL1R1

Clone:

JAMA-147

Isotype:

Armenian Hamster IgG

Other Names:

Interleukin-1 receptor type 1, IL-1R-1, IL-1RT-1, IL-1RT1, CD121 antigen-like family member A, Interleukin-1 receptor alpha, IL-1R-alpha, Interleukin-1 receptor type I, p80, CD121a

Uniprot:

P13504 (<https://www.uniprot.org/uniprot/P13504>)

Host:

Armenian Hamster

Species Reactivity:

Mouse

Specificity:

Anti-IL-1R In Vivo Antibody - Low Endotoxin (JAMA-147) recognizes Mouse IL-1 R1

Purification Method:

This monoclonal antibody was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.

Background:

IL-1 binds two receptors, IL-1RI and IL-1RII. The ligands IL-1alpha and IL-1beta exert all of their various biological actions by binding IL-1RI. IL-1RII has a shortened cytoplasmic domain that is unable to transduce signals and therefore acts as a decoy receptor and competitively antagonizes the binding of IL-1alpha and IL-1beta, thereby reducing their biological effects. Binding of the ligands to IL-1RI is enhanced by an accessory protein, IL-1R-AcP. IL-1RI is expressed on T

cells, thymocytes, dendritic cells, fibroblasts, vascular endothelial cells, epithelial cells and neural cells. It is an 80 kD transmembrane glycoprotein.

Immunogen:

Extracellular domain of mouse IL-1 R type 1

Concentration:

1.0 - 5.0 mg/ml

Formulation:

0.01 M phosphate buffered saline (PBS) pH 7.2, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and Azide free.

Purity:

>95% by SDS-PAGE and HPLC

>98% by SDS-PAGE and HPLC

Endotoxin:

≤ 1.0 EU/mg as determined by the LAL method

≤ 0.75 EU/mg as determined by the LAL method

Aggregation:

Aggregation level ≤ 5%

Aggregation level ≤ 1%

Storage:

anti-IL-1R In Vivo Antibody - Low Endotoxin (JAMA-147) is stable for at least one week when stored sterile at 2-8°C. For long term storage aseptically aliquot in working volumes without diluting and store at -20°C in a manual defrost freezer. Avoid Repeated Freeze Thaw Cycles

Applications:

Immunoprecipitation, Western Blot, Blocking

Application Notes:

Each investigator should determine their own optimal working dilution for specific applications.

Use:

Products are for research use only. Not for use in diagnostic or therapeutic procedures.

Isotype Control:

[Armenian Hamster IgG Isotype Control for In Vivo - Low Endotoxin \[PIP\]_\(ICH2251\)](http://www.ichor.bio/product/Armenian-Hamster-IgG-Isotype-Control-for-In-Vivo-Low-Endotoxin-PIP-(ICH2251))
[. \(http://www.ichor.bio/product/Armenian-Hamster-IgG-Isotype-Control-for-In-Vivo-Low-Endotoxin-PIP-ICH2251\)](http://www.ichor.bio/product/Armenian-Hamster-IgG-Isotype-Control-for-In-Vivo-Low-Endotoxin-PIP-ICH2251)