



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Bulk anti-Human CD45RO antibody (UCHL-1) [ICH1175]

Description

Bulk anti-human CD45RO antibody (UCHL-1)

Product Benefits:

ichorbio's bulk anti-human CD45RO antibody (UCHL-1) is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from our [competitors](#) at less than 1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (<0.75EU/mg) at an even higher purity (98% versus 95%). ichorbio: the best antibodies for *in vivo* research.

Target:

CD45RO

Other Names:

CD45RO molecule is the 180 kDa isoform of CD45 Leucocyte Common Antigen (LCA)

Clone:

UCHL-1

Size:

Anti-human CD45RO antibody (UCHL-1) is available in the following bulk sizes: 5mg, 25mg, 50mg and 100mg. ichorbio regularly manufactures multi-gram amounts of our clone UCHL-1 – please contact us for pricing.

Isotype:

Mouse IgG2a

Host:

Mouse

Species Reactivity:

Human

Specificity:

Anti-human CD45RO antibody (UCHL-1) recognizes Human CD45.

Purification Method:

This monoclonal antibody was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.

Antigen Distribution:

The CD45RO antigen is present on most thymocytes, about 40% of resting peripheral blood T-lymphocytes and the majority of T-cells in skin reactive infiltrates and T-cell malignancies. CD45RO is also found on a subset of B-cells and some B-cell lymphomas. NK cells do not express the CD45RO antigen. It is also present on monocytes, macrophages and granulocytes.

Concentration:

>2.0 mg/ml

Formulation:

Bulk anti-human CD45RO antibody (UCHL-1) is aseptically packaged and formulated in 0.01 M phosphate buffered saline (PBS) pH 7.2 – 7.4, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and azide free

Purity:

>95% by SDS-PAGE and HPLC

>98% by SDS-PAGE and HPLC

Endotoxin:

? 1.0 EU/mg as determined by the LAL method

? 0.75 EU/mg as determined by the LAL method

Aggregation:

Aggregation level ? 5%

Aggregation level ? 1%

Storage:

Anti-human CD45RO antibody (UCHL-1) is stable for at least one week when stored sterile at 2-8°C. For long term storage aseptically aliquot in working volumes without diluting and store at -80°C. Avoid Repeated Freeze Thaw Cycles.

Applications:

Flow Cytometry, IHC (Frozen), IHC (Paraffin), Immunoprecipitation, Western Blot, CODEX®

Application Notes:

Each investigator should determine their own optimal working dilution for specific applications.

Use:

Products are for research use only. Not for use in diagnostic or therapeutic procedures.