



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Name: Anti-Mouse CD27 In Vivo Antibody - Low Endotoxin (RM27-3E5) [ICH1185]

Sku: ICH1185

Catagories: [anti-mouse](#), [Flow Cytometry](#), [Functional Assays](#), [Immunoprecipitation](#), [Low Endotoxin](#), [Ultra Low Endotoxin](#)



Product price: \$375.00 – \$2,950.00

Product Details

Anti-Mouse CD27 In Vivo Antibody - Low Endotoxin (RM27-3E5)

Bio X Cell:

ICH1185 is [up to 30% cheaper](#) for academia & non-profits and [up to 55% cheaper](#) for industry than the equivalent product BE0348 from Bio X Cell.

Product Benefits:

ichorbio's Anti-Mouse CD27 In Vivo Antibody - Low Endotoxin (RM27-3E5) [ICH1185] is manufactured in a cGMP compliant, ISO Quality Standard 9001:2015 facility. ichorbio's low endotoxin antibodies have half the endotoxin of comparable antibodies from our [competitors](#) at less than 1.0 EU/mg. If ichorbio's low endotoxin antibodies are not low enough we also offer ultra low endotoxin antibodies which have even less endotoxin (<0.75EU/mg) at an even higher purity (98% versus 95%). ichorbio: the best antibodies for *in vivo* research.

Target:

CD27

Clone:

RM27-3E5

Size:

ichorbio's RM27-3E5 *in vivo* antibody is available in the following bulk sizes: 5mg, 25mg, 50mg and 100mg. ichorbio regularly manufactures multi-gram amounts of our anti-mouse CD27 RM27-3E5 clone - please contact us for pricing.

Isotype:

IgG1 kappa

Other Names:

CD27L receptor, Tnfrsf7

Host:

Rat

Species Reactivity:

Mouse

Antigen Distribution:

CD27 is expressed on T cells, B cells, and NK cells.

Background:

CD27 is a glycosylated, type I transmembrane protein of the TNFR superfamily that is constitutively expressed on the surface of progenitor and naïve T cells as well as subsets of natural killer (NK) and B cells. CD27 is an immune-checkpoint receptor and ligation with CD70 results in co-stimulatory effects that enhance primary, memory, and recall T cell responses. CD27 signaling has been targeted for the development of viral, autoimmune, and anti-tumor immunotherapies. RM27-3E5 (rat IgG2a) was raised against recombinant mouse CD27-human IgG1 Fc fusion protein and purified from ascites using protein G columns. RM27-3E5 enhances anti-CD3-stimulated T cell proliferation when immobilized *in vitro* and augments ovalbumin-specific cytotoxic T lymphocyte (CTL) induction when administered *in vivo*. RM27-3E5 is an agonistic antibody and has been found to support the control of both established lung metastases and subcutaneous tumors. An anti-tumor effect was also observed with RM27-3E5 against EG7/CD27(+) and EG7/CD27(?) tumors, with the effect mediated mainly by T cells with a minor contribution by NK cells. RM27-3E5 exerts its potent anti-tumor effect by inducing a tumor-specific CTL response. RM27-3E5 has potential utility as a non-depleting agonistic anti-CD27 mAb to enhance anti-tumor immunity.

Concentration:

1.0 - 5.0 mg/ml

Formulation:

0.01 M phosphate buffered saline (PBS) pH 7.2, 150 mM NaCl with no carrier protein, potassium or preservatives added. BSA and Azide free.

Purity:

>95% by SDS-PAGE and HPLC

>98% by SDS-PAGE and HPLC

Endotoxin:

<1.0 EU/mg as determined by the LAL method

? 0.75 EU/mg as determined by the LAL method

Aggregation:

Aggregation level ? 5%

Aggregation level ? 1%

IMPACT Pathogen Test:

We use the IMPACT test generated by IDEXX Laboratories to guarantee our Ultra Low Endotoxin antibodies are pathogen free. Our mouse antibodies are tested for: Mycoplasma spp., Mycoplasma pulmonis, Sendai virus, Mouse hepatitis virus, Pneumonia virus of mice, Minute virus of mice, Mouse parvovirus (MPV1-5), Theiler's murine encephalomyelitis virus, Murine norovirus, Reovirus 3, Mouse rotavirus, Ectromelia virus, Lymphocytic choriomeningitis virus, Polyoma virus, Lactate dehydrogenase-elevating virus, Mouse adenovirus (MAD1, MAD2), Mouse cytomegalovirus K virus, Mouse thymic virus, Hantaan virus, Corynebacterium bovis, Corynebacterium spp. (HAC2)

Storage:

Anti-mouse CD27 In Vivo Antibody - Low Endotoxin (RM27-3E5) is stable for at least one week when stored sterile at 2-8°C. For long term storage aseptically aliquot in working volumes without diluting and store at -20°C in a manual defrost freezer. Avoid Repeated Freeze Thaw Cycles.

Applications:

Functional Assays, Flow Cytometry, ImmunoPrecipitation

Application Notes:

Each investigator should determine their own optimal working dilution for specific applications..

Use:

Products are for research use only. Not for use in diagnostic or therapeutic procedures.

Isotype Control:

[Rat IgG1 Isotype Control for In Vivo – Low Endotoxin \(GL113\) \[ICH2246\]](#)

Additional information:

Size: [5mg](#), [25mg](#), [50mg](#), [100mg](#)

Endotoxin Level: Low, Ultra Low