



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Rat IgG2a In Vivo Isotype Control – Low Endotoxin (1-1) [ICH2244]

Description

Rat IgG2a In Vivo Isotype Control – Low Endotoxin (1-1)

Product Benefits:

ichorbio's Rat IgG2a In Vivo Isotype Control – Low Endotoxin (1-1) is for Research Use Only (RUO) and not for therapeutic use.

Target:

Trinitrophenol + KLH

Clone:

1-1

Size:

ichorbio's Rat IgG2a In Vivo Isotype Control – Low Endotoxin (1-1) is available in the following sizes: 5mg, 10mg, 20mg, 50mg

Isotype:

IgG2a

Host:

Rat

Specificity:

This Rat IgG2a isotype control (anti-Trinitrophenol + KLH) antibody has been tested against selected species' cells and tissues to assure minimal cross reactivity.

Purification Method:

This monoclonal antibody was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.

Concentration:

5mg/ml

Formulation:

This Low Endotoxin Functional Formulation antibody is aseptically packaged and formulated in 0.01 M phosphate buffered saline (PBS) pH 7.2, 150 mM NaCl with no carrier protein, potassium or preservatives added.

Purity:

>95% by SDS-PAGE and HPLC

Endotoxin:

<1.0 EU/mg as determined by the LAL method

Applications:

This Rat IgG2a isotype control antibody should be used at the same concentration as the primary antibody.

Use:

Products are for research use only. Not for use in diagnostic or therapeutic procedures.