



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Naptumomab Biosimilar – Research Grade [ICH5007]

Description

Naptumomab Biosimilar – Research Grade

Product Details:

ichorbio's naptumomab biosimilar is for Research Use Only (RUO) and not for therapeutic use.

Size:

ichorbio's RUO naptumomab biosimilar is available in the following sizes:

1mg, 5mg, 10mg, 20mg, 50mg, 100mg

ichorbio regularly manufactures bulk multi-gram amounts of this biosimilar – please contact us for pricing.

Target:

5T4

Isotype:

IgG1 kappa

Other Names:

Naptumomab estafenatox, ABR-217620

Host:

CHO cells

Species Reactivity:

Human

Specificity:

Detects human 5T4. This non-therapeutic antibody uses the same sequence as the therapeutic antibody naptumomab.

Purification Method:

This recombinant protein was purified using multi-step affinity chromatography methods such as Protein A or G depending on the species and isotype.

Background:

RUO Naptumomab targets the 5T4 tumor antigen, a 72-kDa oncofetal trophoblast protein expressed on many carcinomas, including renal cell carcinoma. The therapeutic effect is associated with activation of SAg-binding T cells.

Concentration:

1.0 – 5.0 mg/ml

Formulation:

Sterile, preservative-free, solution in PBS. BSA and Azide free.

Purity:

>95% by SDS-PAGE and HPLC

Endotoxin:

? 1.0 EU/mg as determined by the LAL method

Storage:

Naptumomab Biosimilar – Research Grade is stable for at least four (4) weeks when stored sterile at 2-8°C. For long term storage aseptically aliquot in working volumes without diluting and store at -80°C. Avoid Repeated Freeze Thaw Cycles.

Applications:

Functional Assays

Application Notes:

Each investigator should determine their own optimal working dilution for specific applications.

Use:

ichorbio's naptumomab biosimilar is for research use only (RUO): it is not for diagnostic or therapeutic procedures and cannot be purchased by patients.

Isotype Control:

[Bulk Human IgG1 Isotype Control \(IB1\) \[ICH2254\]](#)