



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)


[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


# Recombinant trimeric SARS-CoV-2 Spike Protein LU2010-50UG

## PRODUCT INFORMATION


<b>Product Name</b>	Trimeric SARS-CoV-2 spike protein in prefusion conformation.
<b>Product Code</b>	LU2010-50UG
<b>Size</b>	50 ug (1 mg/ml)
<b>Modifications</b>	C-terminal transmembrane region replaced with a trimerization domain and a polyhistidine tag. Two stabilizing proline mutations and scrambled S1/S2 furin cleavage site ( <i>see reference</i> ).
<b>Strain</b>	SARS-CoV-2 Betacoronavirus
<b>Isolate (Seq ID)</b>	Wuhan-Hu-1 (GenBank: MN908947)
<b>Expression System</b>	CHOExpress™ cells
<b>Purity</b>	> 90 % as determined by SDS-PAGE.
<b>Conjugate</b>	His
<b>N-terminus</b>	VNLT
<b>Molecular Weight</b>	The recombinant SARS-CoV-2 trimeric spike protein consists of 3576 amino acids with a predicted molecular mass of ~400 kDa.
<b>Endotoxin</b>	<1.0 EU per µg protein as determined by the LAL method.
<b>Format</b>	Liquid
<b>Buffer</b>	0.01M PBS, pH 7.4
<b>Preservative</b>	None
<b>Storage</b>	Store at -20°C to -80°C. Avoid repeated freeze-thaw cycles.
<b>Ship</b>	Shipped on dry ice
<b>Reference</b>	Wrapp D. et al. Cryo-EM structure of the 2019-nCoV spike in the prefusion conformation. Science 367, 1260–1263 (2020)



**Figure 1.** Verification of purity and size of the recombinant trimeric SARS-CoV-2 Spike Protein under non-denaturing conditions. Size-exclusion chromatography (SEC) plot with peak at 4.0 minutes, corresponding to a size of ~460kD.



**Figure 2.** Verification of size and purity of the trimeric SARS-CoV-2 spike protein under denaturing conditions. SDS-PAGE gel showing a band corresponding to the size of the spike monomer; ~ 150 kD.



**Figure 3.** A 3-D model of the recombinant trimeric SARS-CoV-2 spike protein using Swiss-Model – University of Basel online tools (<https://swissmodel.expasy.org/>)

This product is for research use only and is not intended for diagnostic use.