



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Thalidomide-4-OH

Cat. No.:	HY-103596
CAS No.:	5054-59-1
Molecular Formula:	C ₁₃ H ₁₀ N ₂ O ₅
Molecular Weight:	274.23
Target:	Ligands for E3 Ligase; Autophagy; Apoptosis
Pathway:	PROTAC; Autophagy; Apoptosis
Storage:	4°C, stored under nitrogen * In solvent : -80°C, 6 months; -20°C, 1 month (stored under nitrogen)



SOLVENT & SOLUBILITY

In Vitro	DMSO : ≥ 36.5 mg/mL (133.10 mM) * "≥" means soluble, but saturation unknown.										
	<table border="1"> <thead> <tr> <th rowspan="2">Solvent Concentration</th> <th>Mass</th> <th>1 mg</th> <th>5 mg</th> <th>10 mg</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Solvent Concentration	Mass	1 mg	5 mg	10 mg					
	Solvent Concentration		Mass	1 mg	5 mg	10 mg					
	Preparing Stock Solutions										
1 mM	3.6466 mL	18.2329 mL	36.4657 mL								
5 mM	0.7293 mL	3.6466 mL	7.2931 mL								
10 mM	0.3647 mL	1.8233 mL	3.6466 mL								
Please refer to the solubility information to select the appropriate solvent.											
In Vivo	<ol style="list-style-type: none"> Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: 2.5 mg/mL (9.12 mM); Suspended solution; Need ultrasonic Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.5 mg/mL (9.12 mM); Clear solution Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (9.12 mM); Clear solution 										

BIOLOGICAL ACTIVITY

Description	Thalidomide-4-OH (Cereblon ligand 2) is the Thalidomide-based Cereblon ligand used in the recruitment of CRBN protein. Thalidomide-4-OH (Cereblon ligand 2) can be connected to the ligand for protein by a linker to form PROTACs ^[1] .
IC₅₀ & Target	Cereblon
In Vitro	Thalidomide may exert anti-angiogenic effect in isolated blood vessels and endothelial cells. Thalidomide-OH is a putative hydroxylated thalidomide metabolite. Thalidomide-OH has weak anti-angiogenic activity (14% mean inhibition of blood vessel density at 100 mg). Thalidomide-OH does not have any anti-proliferative effect against the breast or neuroblastoma

cells, but do possess appreciable anti-proliferative activity against the endothelial cells^[1].
MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Marks MG, et al. Effects of putative hydroxylated thalidomide metabolites on blood vessel density in the chorioallantoic membrane (CAM) assay and on tumor and endothelial cell proliferation. Biol Pharm Bull. 2002 May;25(5):597-604.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA