



**SZABO  
SCANDIC**

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](http://linkedin.com/company/szaboscandic)



## Triphala

Cat. No.:	HY-114335		
CAS No.:	857906-76-4		
Target:	NF-κB; Fungal		
Pathway:	NF-κB; Anti-infection		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month

# Triphala

## BIOLOGICAL ACTIVITY

Description	Triphala, an Ayurvedic polyherbal formulation comprising of equiproportional fruit parts of Terminalia chebula, Terminalia bellerica, and Phyllanthus emblica <sup>[1]</sup> . Triphala inhibits NF-κB activation. Triphala exerts antifungal action <sup>[2]</sup> , Anti-adipogenic, anti-inflammatory, and anti-neoplastic activities.	
IC <sub>50</sub> & Target	NF-κB	Antifungal
In Vitro	<p>Triphala regulates adipogenesis through modulation of expression of adipogenic genes in 3T3-L1 cell line. Triphala significantly decreases the adipogenesis in 3T3-L1 cells by reducing lipid accumulation and inhibiting the expression of adipogenic genes. The 3T3-L1 cells treated with Triphala show ~1.43-, 1.67-, and 2.5-fold decreases in lipid content at 1, 10, and 100 µg/mL concentrations, respectively, compared to the cells treated with induction cocktail alone. Triphala regulates lipid accumulation by down regulating expression of adipogenic genes, resulting into prevention of adipogenesis<sup>[1]</sup>.</p> <p>Triphala reduces expression of inflammatory mediators such as IL-17, COX-2, and RANKL through inhibition of NF-κB activation<sup>[2]</sup>. Triphala exerts antifungal action against Aspergillus species and has been reported to inhibit the fungus by up to 37.96% in vitro<sup>[2]</sup>.</p> <p>MCE has not independently confirmed the accuracy of these methods. They are for reference only.</p>	

## REFERENCES

- [1]. Banjare J, et al. Triphala, Regulates Adipogenesis through Modulation of Expression of Adipogenic Genes in 3T3-L1 Cell Line. Pharmacogn Mag. 2018 Jan;13(Suppl 4):S834-S839.
- [2]. Peterson CT, et al. Therapeutic Uses of Triphala in Ayurvedic Medicine. J Altern Complement Med. 2017 Aug;23(8):607-614.

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA